

# A Meeting of the Forum will be held via MS Teams on

#### Wednesday 26 March 2025 at 16.00hrs

#### **AGENDA**

- 1. Apologies for absence
- 2. Declarations of Interest Members should declare any interests they have in any business on the agenda, or any conflicts of interests arising, and decide if they should withdraw from dealing with any item of business
- 3. Election of Chair and Vice-Chair
- 4. Order of Business
- 5. Confirm Draft Minutes of Licensing Forum Meeting held on 4 December 2024 (herewith)
- 6. Minutes of Licensing Board For Information Only
  - a) 8 November 2024
  - b) 13 December 2024
  - c) 10 January 2025
- 7. Updates:
  - a) Chair Update
  - b) Police Update
  - c) Other Updates
- 8. Alcohol Focus Scotland
  - a) E-Focus November 2024 (herewith)
  - b) E-Focus December 2024 (herewith)
  - c) E-Focus January 2025 (herewith)
  - d) E-Focus February 2025 (herewith)
- 9. Licensing Policy Q&A LSO
- 10. Formulation of a Workplan
- 11. Updating Licensing Forum Web Page
- 12. Membership and Recruitment
- 13. Workplan (herewith)

#### **NEXT MEETING – 4 June 2025**

#### **FORUM OBJECTIVES**

- (a) To keep under review the operation of the 2005 Act in West Lothian and in particular, the exercise by the West Lothian Licensing Board of its functions under the Act.
- (b) To give such advice and to make such recommendations to the Board in relation to those matters as the Forum considers appropriate.

For further information contact Anastasia Dragona 01506 281601

anastasia.dragona@westlothian.gov.uk

MINUTE of MEETING of WEST LOTHIAN LOCAL LICENSING FORUM held within MS TEAMS VIRTUAL MEETING ROOM, on WEDNESDAY 4 DECEMBER 2024

## **Present and Apologies**

First Name	Surname	Category		
Helen	Davis	WL Youth Action Project	Absent	
Mike	Duncan	WL CHCP	Absent	
Douglas	Frood	LSO	Present	
Lisa	Moore	Education	Apologies	
Laura	Dougall	NHS Public Health	Present	
Mark	Vance	Social Work/Health	Apologies	
Arun	Randev	Trade	Present	
Sandy	Ross	Housing	Apologies	
Nicola	Hughes	Housing	Present	
Donna	Pearey	Police Scotland	Present	
		OL 1	<b> </b>	

Anastasia	Dragona	Clerk	Present
-----------	---------	-------	---------

### 1. <u>DECLARATIONS OF INTEREST</u>

There were no declarations of interest made.

#### 2. ORDER OF BUSINESS

The NHS presentation was considered after agenda item 4 (Licensing Forum Minutes).

### 3. <u>LICENSING FORUM MINUTES</u>

The Forum approved the minutes of its meeting held on 4 September 2024.

Discussion followed about the annual Joint Licensing Forum and Licensing Board meeting that had been held on 3 October 2024. At the meeting, forum members had asked for any specific issues that the board would like it to consider; the board had clarified that the forum could forward any issues it deemed important to the board.

#### 4. PRESENTATION

The presentation provided an overview of the Borders Licensing Forum and explained some of the successes as well as challenges of the forum. a community survey had been circulated which had helped shape some of the forum's actions. It was noted that Alcohol Focus Scotland had also been helpful with training and guidance.

In the discussion that followed, resource pressures were highlighted. Members noted some of the similarities between the two forums' activities. NHS Public Health would continue to collect data on alcohol harms which could be used to correlate sales with alcohol harms and might in turn provide solid evidence for stronger suggestions to the board.

#### Decision

- 1. To note the presentation.
- 2. To note that the presenter had offered to share the presentation and community survey with the forum.
- 3. To keep item on future agendas as ongoing.
- 4. To thank Susan Elliot for her time and input on this matter.
- 5. Members to bring further ideas for workplan at the first meeting of 2025.

### 5. MINUTES OF LICENSING BOARD

The Forum noted the Licensing Board minutes of 9 August 2024, 13 September 2024 and 11 October 2024.

#### 6. UPDATES

<u>Police Update</u> – Police Scotland had increased engagement with licensed premises in the run up to the festive season. It was noted that bystander training had been offered, with minimal uptake. Alcohol theft continued to be on the increase.

#### Decision

To note the update from Police Scotland.

### 7. ALCOHOL FOCUS SCOTLAND

The Forum noted the E-Focus Newsletters dated August 2024, September 2024 and October 2024.

### <u>Decision</u>

To note the newsletters.

### 8. <u>LICENSING POLICY Q&A</u>

It was noted that there were currently no reviews on for the Licensing Policy.

## **Decision**

To note that no questions were raised.

# 9. UPDATING LICENSING FORUM WEB PAGE

### **Decision**

Item to be brought forward to the next meeting.

## MEMBERSHIP AND RECRUITMENT

### Decision

Item to continue to be included on agendas as ongoing.

## 10. TIMETABLE OF MEETINGS 2025 FOR APPROVAL

### **Decision**

To approve the timetable of meetings with the exception of the proposed March date, which was to be 26 March instead of 5 March.

### 11. WORKPLAN

### Decision

To note the workplan and to continue to work on the new format as per the above decisions.

### Dragona, Anastasia

From: Alcohol Focus Scotland <enquiries@alcohol-focus-scotland.org.uk>

Sent: 28 November 2024 14:46
To: Dragona, Anastasia

**Subject:** Alcohol Focus Scotland latest - November 2024



November 2024















# **Contents**

- AFS joins NCD Alliance in calling for a levy on alcohol and tobacco retailers
- Michael's Story
- BBC Panorama documentary highlights shocking liver disease binge drinking toll
- WHO Alcohol Policy Playbook published
- Scottish Health Survey
- Children in Scotland report: Creating a Healthier Scotland for Everyone
- Liver Cancer Risk Checker
- Alcohol Availability at Scottish Football
- Community Licensing Toolkit
- Balance North East 'Alcohol Is Toxic' Campaign
- Can We Be Serious Now? Campaign The Filtered Project

- Act Now! Alcohol Harm Prevention Levy Advocacy Toolkit
- Conflicts of interest: moving towards zero tolerance
- UK Budget Briefing Notes Published
- Draft Charter of Rights for People Affected by Substance Use:
   Consultation Findings 2024
- Alcohol related cirrhosis: prevention of relapse to alcohol after a hospital admission
- Public and professional stakeholders' perceptions of alcohol advertising and availability policies: A qualitative study
- Do health warning labels on alcohol packaging attract visual attention? A systematic review
- Uncorking the 'wine mum': Exploring the complexity of Australian women's everyday lives and drinking practices
- The alcohol harm paradox: is it valid for self-reported alcohol harms and does hazardous drinking pattern matter?
- Trends in Alcohol Use After the COVID-19 Pandemic
- SAFER Initiative Webinars
- Scottish Families Affected by Alcohol and Drugs: Stigma and Kindness Shorts
- Helping Sleep Happen FASD Hub
- SPECTRUM: Alcohol Knowledge Exchange Workshop



# AFS joins NCD Alliance in calling for a levy on alcohol and tobacco retailers

A coalition of health campaigners, including Alcohol Focus Scotland, has written to the Scottish Government ahead of the upcoming Scottish budget calling for the introduction of a levy on retailers of tobacco and alcohol products to fund tangible actions to reduce deaths from preventable diseases.

The NCD Alliance Scotland, a coalition of 24 leading health organisations

campaigning for action on health harming products, says non-communicable diseases (NCDs) are the leading cause of death and ill health in Scotland, contributing to around 52,000 deaths in 2023 (83% of all deaths).

One in five NCD deaths are directly related to alcohol, tobacco, and overweight and obesity, which the Alliance says could be prevented through public health action.

They're calling for the Scottish Government to introduce a new Public Health Supplement on non-domestic rates for alcohol and tobacco retailers in the 2025-2026 Budget. The previous Public Health Supplement, which ran from April 2012 to March 2015, raised £95 million.

Research by the Fraser of Allander Institute, commissioned by Alcohol Focus Scotland, estimates that a levy on shops selling alcohol alone could raise £57 million per year if set at the same level as the previous supplement. The levy would principally affect large supermarket chains, making up 86% of the revenues raised, with the money being redistributed to local authorities to utilise on health improvement measures.

The Alliance recommends the introduction of 'polluter pays' levies on health-harming products as part of their recently published **10-year vision to address the commercial determinants of health**. It has put forth three tangible health improvement measures to the government which they suggest could be funded by a new levy: supporting healthier pregnancies and healthier families, supporting early detection of liver disease via non-invasive liver scans, and collaborating with local groups on peer support interventions to quit tobacco products.

According to the Health Foundation, there is broad public support across the UK for measures to prevent ill health from tobacco, alcohol and unhealthy foods. There is also support from the Scottish public for a retailer levy, with a survey carried out by YouGov for ASH earlier this year finding that 57% of people in Scotland support a levy on alcohol retailers to fund measures to prevent alcohol harm, including funding support services.

David McColgan, Chair of the NCD Alliance Scotland said:

"The cost of health-harming products to our communities, wider society and our economy is vast, with a particular impact on our NHS. Alcohol harms alone are estimated to cost Scotland between £5 billion and £10 billion each year, including up to £700 million each year in health and social care costs. It costs our NHS at least £300 million a year to treat smoking-related diseases, and the annual cost of obesity has been estimated at £5.3 billion.

"With the current severe financial pressure on our health and care services especially, the costs of dealing with the impact of alcohol, tobacco and unhealthy food on our society should not be borne solely by taxpayers. It is more than reasonable to expect industry which reaps the profits to pay towards mitigating the health and social costs caused by the health-harming products they sell - following the 'polluter pays' principle. A new Public Health Supplement would ensure that retail pays its way."

Read the full story on our website

# **Michael's Story**


Michael's story is the latest in our 'Your Stories' series and was published in the recent Daily Record article in support of our calls for the introduction of a levy on retailers who sell alcohol products.

Michael shares his lived experience of developing liver disease as a result of alcohol use eventually culminating in the need for a liver transplant. Michael believes early detection of liver disease with greater availability of fibroscan equipment and liver health screenings could help detect liver disease early, avoid greater liver damage in patients like him and ultimately save lives.

He said:

"I think when the government are thinking about introducing the alcohol levy we should see reinvestment of this money for the early detection of alcohol related liver disease. I think investment for more fibro scanning equipment would be key, particularly in rural areas who currently don't have this equipment at hand. It is important that we offer people regular liver scans so that we can help detect liver damage before it becomes so serious that patients need transplants."

# **7** Read Michael's Story





# BBC Panorama documentary highlights shocking liver disease binge drinking toll

A new BBC Panorama documentary has shone a light on the shocking numbers of people at risk of liver disease and cirrhosis, even at comparatively small levels of alcohol consumption, and in particular the rise in alcohol deaths and liver disease in women.

Journalist Hazel Martin shares her own story of the shock of being diagnosed with liver damage from alcohol use – having never considered herself to have a problem with alcohol.

The programme explored an 8 fold increase in liver disease deaths in women aged 35-44 since 1968 (3 fold in all women) in the UK, with Professor Debbie Shawcross saying that women are presenting in their 40s and 50s with liver disease or liver failure who are not 'alcoholics' (dependent drinkers) and may never have been drunk, but who are just drinking too much as a habit.

Dr Gautam Mehta, a consultant hepatologist, explained in one interview that binge drinking on its own (defined as 6 units of alcohol in a single sitting for a woman and 8 units for a man), even with a weekly consumption of less than 14 units (CMO low risk guidance) will increase your risk of liver disease. He said that people with a binge pattern of drinking at a 6 unit level at least once a week will increase your risk of liver cirrhosis 2-3 fold.

Professor Carol Emslie of Glasgow Caledonian University was interviewed on the links between alcohol marketing targeted at women and the substantial increase in alcohol-related liver disease and alcohol deaths in women. She discussed her 'Don't Pink My Drink' campaign which seeks to counter what she described as the 'variety of cynical ways women are marketed to with alcohol' – noting how the industry harnesses cultural memes or movements and feminist goals of self-care and empowerment to sell alcohol to women.

✓ Watch 'Binge Drinking and Me', BBC Panorama



# WHO Alcohol Policy Playbook Published

The World Health Organization (WHO) has published their 'Alcohol Policy Playbook'. Alcohol Focus Scotland warmly welcomes this resource which aims to help policymakers identify when alcohol-related issues are presented from a profit-seeking perspective and guides them to prioritise public health evidence to reduce alcohol-related harm and its burden on public finances.

Industries that rely on the sale of health-harming products such as alcohol have been exposed by the WHO as using a range of tactics to delay, deter and block policies that would improve public health. The *Alcohol Policy Playbook* identifies these tactics which include political lobbying and spreading disinformation, and contrasts the alcohol industry's assertions with scientific evidence, demonstrating that alcohol-related harms can be significantly reduced through interventions such as pricing, availability restrictions, and marketing controls.

Pricing policies have been shown to particularly benefit heavy drinkers, who experience the most harm. Limiting when and where alcohol is sold leads to significant reductions in accidents and injuries. Additionally, restricting alcohol marketing can prevent early initiation of drinking and reduce binge drinking, especially among young people. Overall, these evidence-based policies have proven to be effective in reducing alcohol consumption and its associated harms within populations.

The Playbook aims to encourage policymakers to critically evaluate the sources of information they rely on and prioritise evidence-based conclusions from the public health community when shaping alcohol-related policies.

Commenting on the publication, Nicola Merrin, Policy and Research Manager at Alcohol Focus Scotland, said:

"The WHO Alcohol Policy Playbook is a welcome new resource that can help policymakers in Scotland and the UK better identify and manage conflicts of interest in developing health policy on alcohol.

"The Playbook is published at a timely juncture in Scotland, not long after we have

learned that the alcohol industry has substantially increased their lobbying of MSPs and Scottish Government, creating a 'policy chill' that no doubt lies behind the recent decision to delay a promised consultation on alcohol marketing pending an evidence review.

"It once again highlights the robust scientific evidence that action to limit the industry's influence on our choices, such as restricting alcohol marketing, has the greatest impact on reducing alcohol harm. Contrary to industry claims, the research is clear that alcohol marketing targets young people, it has a significant impact on their drinking habits, and government regulation is needed to address this. The industry's self-regulation is a failure.

"The Scottish Government has the power and the duty to act to protect and improve the health of people in Scotland. It has shown strong leadership in the past, facing down profit-seeking industry actors in court, to implement Minimum Unit Pricing for alcohol. The Alcohol Playbook serves as a guide for our policymakers - they should pay close attention to it to ensure that the wellbeing of the many is placed above the profit of the few. This is of critical importance now as we seek to drive down the rising tide of alcohol harm we have been experiencing since the pandemic."





# Scottish Health Survey reveals mixed picture on alcohol

This month, The Scottish Centre for Social Research (ScotCen Social Research) have published the latest findings from the 2023 Scottish Health

Survey. The report provides valuable information on health conditions, and highlights factors which can put us at risk for various health conditions including alcohol consumption, smoking, drug use, diet and obesity.

Findings from the survey indicate that there has been an increase in non-drinkers in Scotland, with 1 in 5 people abstaining from alcohol. This follows a gradual increase in the number of people reporting to be non-drinkers each year since this information was first collected in 2003. The survey also found that there has been a reduction in the proportion of people who exceed the low risk drinking guidelines. The Chief Medical Officers' low risk drinking guidelines state that to keep health risks from alcohol to a low level, it is safest not to drink more than 14 units a week on a regular basis. Self-reported figures around alcohol consumption show that 1 in 5 people in Scotland are now exceeding this figure, drinking at hazardous or harmful levels. There has been a gradual decrease in the number of people drinking at hazardous or harmful levels over the years, with this being the lowest figure since data was initially recorded in 2003. Data from the survey on those classed as hazardous or harmful drinkers, however, shows that consumption has increased since before the pandemic (2019) to now (2023) by 1.3 units per week.

Results gathered from The Alcohol Use Disorders Identification Test (AUDIT), also indicate that there has been an increase in hazardous or harmful alcohol consumption. The AUDIT, developed by the World Health Organisation, is a method used to measure alcohol consumption and behaviours. A score of 0-7 indicates low risk drinking behaviour or abstinence. A score of 8-15 indicates hazardous drinking behaviour, and a score of 16-19 suggests harmful drinking behaviour. AUDIT scores of participants show that 18% of people were drinking above low risk guidelines in 2023, an increase from before the pandemic (2019).

While the increase in non-drinkers and the reduction in the proportion of those reporting to drink at hazardous or harmful levels is good news, it is important that we contextualise this data. The results from the survey indicate that the polarisation of drinking habits from the pandemic is still evident, with hazardous and harmful drinkers continuing to consume more alcohol than before the pandemic. This polarisation resulting from the pandemic is also evidenced in other sources. Research suggests that, while those who consumed moderate levels of alcohol prior to the pandemic decreased (or stopped) their consumption of alcohol

during the pandemic, those who were classed as heavier drinkers increased their consumption by an average of 2 units more per week in 2020 (Angus et al., 2023). Similar findings were also present in the 2022 Scottish Health Survey, which found an increase of 2 units per week on average as compared to 2019.

These increases were a major factor in the 25% increase in alcohol-specific deaths since 2019, reaching the highest level in 15 years (National Records of Scotland, 2024). The Scottish Government has rightly recognised alcohol harm as a public health emergency.

The research by **Angus et al.** reflected substantial possible increases in both harms and health inequalities, which may be sustained in the longer-term if the higher levels of alcohol consumption in heavier drinkers persist. It has been estimated that these changes from the pandemic will have a long-term impact, resulting in up to an additional 25,000 deaths and 90,000 hospitalisations by 2040.

Read the full report from the Scottish Health Survey 2023



# Children in Scotland report: Creating a Healthier Scotland for Everyone

Children in Scotland, partners in the AFS Alcohol Free Childhood campaign, has worked with the NCD Alliance Scotland to help children and young people share their views about how to create a healthier Scotland.

In July 2024, they ran a one-day workshop to build upon what children and young people had already told them about health-harming products – things like alcohol, tobacco, vapes and unhealthy food and drink - and to understand how Children in Scotland can support everyone in Scotland to have better health in 10 years'

8a

time.

The workshop was delivered in partnership with the NCD Alliance Scotland and supported them to develop their long-term strategy for reducing the harm caused by health-harming products.

The Creating a Healthier Scotland for Everyone workshop report was published in October 2024.

Among findings related to alcohol were:

- After reviewing the evidence on alcohol marketing, all groups favoured an
  introduction of physical barriers in shops that sell alcohol to prevent children
  and young people from viewing alcohol brands and products. This was
  selected ahead of options to limit alcohol brand sponsorship of live events.
  Participants believed that it was important to limit children and young
  people's awareness of alcohol brands, and for product accessibility in the
  community to be prevented as much as possible.
- Across all options to reduce harm in vaping/smoking, alcohol and HFSS
  foods, participants tended to support approaches that did not outright ban
  health-harming products but rather reduced exposure to them or increased
  the availability of healthy alternatives (e.g. subsidising healthy foods).

Children and young people did not believe that a single policy intervention would be sufficient to address the impact of health-harming products. They said that a combination of approaches to regulation should be supported in addition to other factors that promote healthy choices.





# **Liver Cancer Risk Checker**

October was Liver Cancer Awareness Month. Alcohol is one of the primary causes of liver cirrhosis in the UK, which is also one of the leading causes of liver cancer.

The British Liver Trust provides a Liver Cancer Risk Checker tool on their website which can help identify whether you or those you support might be at risk of developing liver cancer.

The tool aims to provide you with a clearer understanding of your risk based on well-established factors, enabling you to seek support or take action if you are at higher risk.

Find out your risk of liver cancer



# **Alcohol Availability at Scottish Football**

Insights from the 'Football and Alcohol Scoping Study (FASST)' project

Researchers at the University of Stirling have published insights from a study, commissioned by the Scottish Football Association (SFA) and the Scottish Professional Football League (SPFL), to explore the issues which would need to be considered in a pilot trialling the general sale of alcohol at Scottish football grounds.

Researchers spoke to a variety of stakeholders within football clubs, safety management, the police, public health and NHS, the Scottish Government and alcohol licensing as well as conducting site visits to Scottish and English stadia.

Among the possible positive and negative impacts they considered were impacts

on disorder at matches, alcohol consumption, normalisation of alcohol, exposure of children and young people to alcohol and to increased alcohol marketing (as well as concerns about marketing exposure of other vulnerable groups such as those in recovery).

They concluded that any such pilot would have to be robustly designed to collect a range of data and conducted by an independent unbiased research team with funding from an independent source – such as the National Institute for Health and Care Research.

However, the researchers also concluded that permitting alcohol to be sold at Scottish football grounds would bring increased risk in relation to fan safety and public disorder – with the likely impact of increased alcohol consumption and health harms through increased availability being at odds with the stated aims of the Scottish Government's own Alcohol Framework.

Alcohol Focus Scotland recently **reiterated our opposition** to any change in the law to allow the sale of alcohol within football grounds in Scotland, as well as **criticising the SPFL decision** to partner with Carling as their new official beer.

**a** Read the full Briefing Paper



# Alcohol Focus Scotland Community Licensing Toolkit

We have published our updated Community Licensing Toolkit. The toolkit is designed to help anyone who would like to have a say on how alcohol impacts on their community.

It explains how the licensing process works in Scotland and provides some practical tips to help people who want to get involved – including guidance on

raising concerns about alcohol in your community, existing licences or new applications and information and guidance on attending licensing board hearings.

Download the Community Licensing Toolkit

# **©CAMPAIGN**

# Balance North East 'Alcohol Is Toxic' Campaign

Our colleagues at Balance North East have launched the latest iteration of their 'Alcohol Is Toxic' campaign in the run up to Christmas. Balance's Blueprint for Reducing Alcohol Harm calls for urgent national action to tackle the significant impact of alcohol on health, social care, crime, disorder, workplaces, and the economy.

If you drink alcohol, how do your drinks add up? Are they putting your health at risk this winter?

Most of us know smoking causes cancer. But just like tobacco, alcohol is toxic. Alcohol is a Group One carcinogen which causes at least seven types of cancer including bowel, breast, mouth and throat cancer.

Just one or two drinks a day can increase the risk of cancer. Any type of alcohol is carcinogenic, whether beer, wine or spirits.

The best way to reduce your risk is to cut down how much and how often you drink:

- Drink no more than 14 units a week to stay "low risk" (about six glasses of wine, six double spirits or six pints of lager a week).
- Take at least three drink free days a week to give your body a break.

Laura Mahon, Deputy CEO of Alcohol Focus Scotland said: "We are encouraging people in Scotland to reduce their drinking to reduce their risks of a range of serious health issues.

"Cutting down has so many benefits – it can improve your mood and help you feel more energetic, give your mental health a boost and even lower blood pressure and lose weight."

"Alcohol is linked to more than 200 medical conditions including 7 types of cancer, liver disease, heart disease and stroke. It can worsen weight problems and worsen anxiety and depression."

Try the quiz at **ReduceMyRisk.tv** to see how your drinks add up and find out about ways to cut down.

If you are worried about your own or someone else's drinking, you can find local support services via the **Alcohol Focus Scotland website**.





# Can We Be Serious Now? Campaign – The Filtered Project

The main goal of the FILTERED Project (From sILos To synErgies to pRevEnt ncDs) is to stimulate collaborative advocacy, health promotion, action and accountability at a European and national level for the prevention of NCDs among civil society organisations specialised in advocacy linked to the reduction of alcohol-related harm, tobacco control and the reduction of the consumption of unhealth foods and drinks.

The project aims to strengthen cooperation between all partners and other stakeholders to foster a co-creative approach and mutually beneficial partnerships, coalitions and strategic alliances to address the complex problems related to an integrated approach to tackling the main risk factors of NCDs (alcohol, tobacco and unhealth foods and drinks).

The activities of this project are based on the transversal actions suggested in Europe's Beating Cancer Plan, its implementation road map and the EU "Healthier Together" NCD initiative, as well as the WHO Best Buys and other WHO recommended policy interventions to address NCDs.

Using the campaign hashtag #CanWeBeSeriousNow – the project challenges policy makers to get serious about conflicts of interest between industry and public health policy, using a series of eye catching and humorous graphics and videos to drive the point home.

The project makes 4 key recommendations to policy makers:

- 1. Establish measures to limit interactions with health harming industries and ensure the transparency of those interactions that occur.
- 2. Formulate, adopt and implement a code of conduct describing the standards for dealing with health harming industries.

- 3. Require that information provided by health harming industries is evidencebased, transparent and accurate.
- 4. Denormalise and, where possible, regulate activities promoted as "socially responsible" by health harming industries, including but not limited to those described as "corporate social responsibility."
- Find out more and download campaign assets





# Act Now! Alcohol Harm Prevention Levy Advocacy Toolkit

The draft Scottish Budget will be announced in Parliament on Wednesday 4<sup>th</sup> December. Alcohol Focus Scotland, along with our partners at the NCD Alliance Scotland has been campaigning for the introduction of an alcohol harm prevention levy on retailers who sell alcohol.

A levy on retailers who sell health harming products including alcohol and tobacco could be used to invest in a variety of initiatives that we set out in a letter to the Cabinet Secretary for Finance and Local Government, and to invest in other treatment and support services for those affected by alcohol problems.

There's still time for you to make your voice heard before the budget by writing to your MSPs to ask them to support the reintroduction of the public health supplement.

Take action today!

**Download our Alcohol Harm Prevention Levy Advocacy Toolkit** 



# Conflicts of interest: moving towards zero tolerance

An opinion article in the British Medical Journal has laid out the case for a zero-tolerance approach to conflicts of interest in public health policy. Harmful industries still exert their influence over health professionals, academia, and health systems; robust change is required, according to authors Chris van Tulleken, Nigel Rollins, and Rebecca Coombes.

The article summarises the history of how commercial actors and big industry has worked to undermine health policy in favour of profit, citing numerous examples including Big Tobacco, Big Alcohol and Big Food.

They highlight tactics including the co-opting of some charities, doctors and academics by health harming industries to undermine public health policy in favour of commercial interests, saying these actions on the part of industry reflect the important and trusted role of health professionals in society and why they are high value targets of industry marketing strategies.

The article criticises attempts to move toward greater transparency around conflicts of interest in medicine and academia, citing the UK failure to require comprehensive registers of interests at NHS Trusts, and a call for doctors to submit their declarations of interest to a public register having been ignored – as well as noting that Journal declarations can detail some competing interests but standards vary, leading to misleading or partial statements, often hidden in footnotes.

The authors note that change is much needed, but that it has to be intentional, systematic, evidence based, and robust. The onus for action is not with industry who, because of their responsibilities to shareholders, are unable to prioritise public health.

They say all institutions and individuals who have the stated aim of improving human health—health authorities, research funders, medical schools, health professional associations, charities and advocacy organisations, and individual practitioners, to name just some—must first recognise the pervasive harm that conflicts of interest cause.

They challenge Governments to set the standard and lead by example. Terms of engagement that end actual and perceived competing interests should be established while not precluding the possibility of discussion with these industries. Advisory committees, regulatory bodies and harm reduction strategies must be conflict free.

The authors conclude that it is accepted today that doctors, universities, and health institutions should not accept funding from the tobacco industry. They say that this principle needs to be widened to the other industries whose products or marketing practices also harm or undermine health.

**3** Read the full article



# **UK Budget Briefing Notes Published**

The Institute for Alcohol Studies (IAS) and the Sheffield Addictions Research Group (SARG) have published analysis of the recent UK Government budget, exploring the potential health and economic consequences of changes to taxes on alcohol and tobacco.

The IAS Briefing notes that In the Autumn Budget 2024 there were three key announcements:

- 1. Most alcohol duty rates will go up by RPI inflation in February 2025.
- 2. Draught Relief part of the Reform of Alcohol Duty will be increased.
- 3. Confirmation that the temporary wine duty 'easement' will end.

The Briefing notes that this will be only the third time in the past decade that most products duty rates have been kept in line with inflation, and that despite this, alcohol duty will still be much lower in real terms than it was in 2012/13. They say that cumulatively, duty cuts will have cost the Treasury over £28.6 billion in lost revenues compared with if duty had been raised in line with inflation as had been planned.

IAS says that the UK Government should raise alcohol duty above inflation each year, target the off-trade and remove preferential treatment of cider to equalise duty rates with beers at the same ABV in order to reduce harms.

# Read the IAS Briefing

The SARG Budget analysis paints a mixed picture of the health improving nature of the UK Budget measures on alcohol and tobacco.

Taking these measures together, they say that the budget is likely to improve health and reduce health inequalities overall, but that these gains are largely made via measures taken on tobacco – with a projected 39,000 fewer smokers and fewer hospitalisations and deaths. Measures taken on alcohol, including cutting draught duty, are expected to increase health inequalities, with larger increases in alcohol consumption, smoking prevalence and hospital admissions in more deprived quintiles.

Overall, the Treasury will bring in £260million in extra revenue from changes to tobacco and alcohol duty over the next five years, with sizeable increases in tobacco duty making up for losses from alcohol industry revenues.

Alcohol companies are anticipated to see their revenues increase by £324 million as a result of the budget measures over 5 years, whilst the tobacco industry will see a £5million reduction in revenues.

**A Read the SARG Analysis** 

# POLICY

# Draft Charter of Rights for People Affected by Substance Use: Consultation Findings 2024

From December 2023 until June 2024 the National Collaborative held a public consultation to gather views on the *Draft Charter of Rights for People Affected by Substance Use* to inform its continued development.

Over 500 people responded to this consultation across Scotland.

The consultation feedback was analysed collaboratively by the Change Team of the National Collaborative and the key themes that were shared have been documented in an **Analysis and Findings** report.

To inform the development of the Charter, a 'You said, We did' style report detailing how the National Collaborative have acted on the feedback that was shared has also been created.



# Alcohol-related cirrhosis: prevention of relapse to alcohol after a hospital admission

A new project is looking for participants to explore the best ways to prevent relapse to alcohol for patients who have been admitted to hospital with advanced liver disease. The project includes researchers from The University of Cambridge, The University of East Anglia, and Cambridge University Hospitals NHS Foundation Trust.

An important part of treatment for patients who have alcohol-related cirrhosis is to completely abstain from alcohol. When admitted to hospital, this leads to an enforced period of abstinence for patients. This subsequently presents an opportunity to establish long-term abstinence and to support patients to prevent relapse.

The aim of this research project is to therefore understand how best to support patients with alcohol-related cirrhosis to prevent relapse to alcohol following their discharge from hospital. Participation involves completing a confidential, online survey which should take around 15 minutes. The survey will explore the most effective ways to prevent relapse for patients who have been admitted to hospital with advanced liver disease, and how the support provided to patients can be improved.

To take part, you need to be either:

- A healthcare professional specialising in 'hepatology' or 'alcohol misuse',
- A community-based practitioner involved in the care of patients with liver disease and alcohol use disorder,
- A commissioner of treatments and interventions for alcohol use disorder,
- A person with alcohol-related cirrhosis, or,
- A family member, caregiver or friend of a person with alcohol-related cirrhosis.

To find out more and take part, please visit the **project website**.



# Public and professional stakeholders' perceptions of alcohol advertising and availability policies: A qualitative study

The World Health Organisation (WHO) recommends reducing alcohol advertising, availability and affordability as evidence-based, cost-effective ways to prevent alcohol-related illness and deaths. This is the first study to explore the similarities and differences in narratives of professional and public stakeholders relating to restricting alcohol advertising and availability in Scotland.

The researchers led eleven focus groups with forty-five 'public stakeholders' who lived in areas across Scotland that had varying levels of urbanity, deprivation and retail density change (areas with high retail density have a high availability of alcohol, with many retailers selling alcohol within a short distance of each other). The researchers also completed semi-structured interviews with fourteen 'professional stakeholders', who were employed in a variety of settings across Scotland, including third sector, government, public health and alcohol licensing. Participants were provided with a list of policy suggestions to discuss their views on these, including:

- 1. Restrict alcohol advertising and sponsorship of sporting events and festivals; restrict alcohol advertising in public spaces.
- 2. Ban the sale of alcohol near schools and playparks.
- 3. Limit the number of places which sell alcohol in neighbourhoods where there are already lots of places to buy it (i.e., areas of high density).
- 4. Alcohol should only be sold in one area of the shop which is hidden by a physical barrier.

Findings suggest that there was a general consensus that the regulation of alcohol advertising is an important priority. The public were seen to have a nuanced understanding of policy feasibility and effectiveness. In terms of alcohol advertising, 'public stakeholders' were apprehensive about the feasibility of these interventions and the possible consequences that may occur. For alcohol availability, 'professional stakeholders' agreed that this should be regulated however the 'public stakeholders' again had concerns around feasibility and effectiveness. Both groups of stakeholders had similar views about achieving cultural change and protecting children, with 'professional stakeholders' noting that such interventions would be an important first step to protecting children and reducing alcohol consumption.

This study emphasises the important of 'public stakeholders' views being taken into consideration when developing alcohol policy. Apprehension around feasibility and potential effectiveness is likely to be a barrier to public support for policies to reduce alcohol availability. Policies framed as protecting children, however, were likely to receive more support. It is important to improve communication of public health evidence by considering the public's concerns about the effectiveness and potential consequences of alcohol control policies while considering the wider context of alcohol in people's lives.

**7** Read the study.



# Do health warning labels on alcohol packaging attract visual attention? A systematic review

Alcohol consumption is associated with a variety of health and social consequences. Since 1988, alcohol has been classed as a Group 1 carcinogen by the International Agency for Research on Cancer, meaning this can lead to the formation of cancer. Unfortunately, there are often low levels of public knowledge and awareness about the consequences of alcohol. Given the substantial negative impact of alcohol, the World Health Organisation (WHO) recommends including alcohol warning labels (AWL) on alcohol products to raise awareness of the associated consequences.

This systematic review was conducted to synthesise the research relating to consumers' visual attention that they devote to AWLs, using eye-tracking evidence. A total of six peer-reviewed articles and one unpublished doctoral research paper were included in the review. The review summarised findings relating to the design and format of AWL (bottom-up factors) including the size, colour, border and pictures used, plus goal-driven factors (top-down elements) such as motivation to change drinking behaviours.

The researchers found that, while there is mixed evidence as to the effectiveness of different factors, people tend to pay very little attention to existing AWLs. One study reported that the size of the AWL had a positive effect on attention, while another found that having the AWL surrounded by a border was impactful; an additional study found that combining a larger, red-coloured AWL containing both text and a pictogram yielded more attention. The researchers therefore note that conflicting findings along with a limited number of studies using eye-tracking methods, make it difficult to draw strong conclusions. It does appear however, that current AWLs do fail to effectively capture consumer attention. It is therefore suggested that policymakers may need to revisit and rethink existing AWL regulations. As suggested by the WHO, it would be helpful for governments to encourage the exploration of design features (e.g., size, text, colour, pictures) and advocate for the investigation of the actual impact of an AWL prior to it being fixed onto alcohol products.



# Uncorking the 'wine mum': Exploring the complexity of Australian women's everyday lives and drinking practices

Drinking among midlife women has become a main focus in research and within media representations of 'wine mums' (a term used in popular media discourse). Close attention has been given to static gender roles, e.g., women as mothers, which tends to lead to dynamic and complex features of women's lives being overlooked. This study therefore explored how the everyday experiences of women's lives and the various identities which they encompass, impact their drinking behaviours.

The researchers drew on detailed accounts from Australian women in their forties and fifties, who were in employment, had school-aged children and consumed alcohol. They closely analysed the stories of four women to understand the key features of women's lives. Within their findings, the researchers highlighted how diverse contexts and everyday lives influenced drinking practices. Drinking behaviours were often intertwined with gendered labour, power inequalities, and managing the stress which results from both of these. Factors which were prominent in the accounts of participants included gender, class, relationality (e.g., social networks, support systems), life course transitions, affect (e.g., unhappiness, fatigue) and aspects of labour dynamics (e.g., autonomy, unseen labour). Other factors which interacted in the women's stories included health, geography, life histories and culture. These factors also informed the roles and identities which the women moved between, each of which also co-produced different drinking practices.

The researchers therefore conclude that women's drinking patterns are complex, influenced not only by static gender roles, but also by the interplay between gender and everyday life. They recommend that future research aims to explore and

develop theories regarding how various social, cultural and economic intersections play out in real world contexts that are relevant to the lives of women, and how these together, create practices such as those involving alcohol.

**7** Read the study.

# RESEARCH

# The alcohol harm paradox: is it valid for self-reported alcohol harms and does hazardous drinking pattern matter?

The term 'alcohol harm paradox' considers that alcohol harms are more prevalent in groups of low socioeconomic status compared to groups of high socioeconomic status, despite alcohol consumption volume often being higher in high socioeconomic groups. The consequence of this is that disadvantaged groups suffer more harm per litre of alcohol than more advantaged groups. This paradox has also been observed at population level, where alcohol consumption tends to be higher in high-income countries, but vulnerability to alcohol-related harm is much higher in low and middle-income countries compared to high-income countries

In a study of 8,171 participants, data from national population surveys in Norway were analysed for a subsample of "past month" drinkers who were aged 25 to 79 years old. Findings revealed that alcohol-related harms were significantly more prevalent in low socioeconomic status groups after adjusting for alcohol consumption volume, compared to high socioeconomic status groups. Low socioeconomic status was also associated with a more hazardous drinking pattern with regards to heavy episodic drinking, which could explain some of the socioeconomic differences in alcohol harms. Aspects of drinking pattern and having a spouse could only reduce the effect of the difference in alcohol harm between socioeconomic groups to some extent. Most importantly, a substantial socioeconomic position difference in alcohol harms remained after adjustment for several suggested explanatory factors, a finding that mirrors those from previous studies of the alcohol harm paradox. These findings therefore support the validity

of the "alcohol harm paradox" for self-reported alcohol harms.

It is however, still a puzzle why alcohol harms occur more frequently in low socioeconomic position groups and hence why these groups seem to be more vulnerable to the effects of drinking than those in high socioeconomic groups. A possible explanation is that important confounders, such as access to treatment services, were not accounted for either in this study or in previous research into the paradox. The researchers conclude that alcohol consumption significantly contributes to both the overall health burden and to social inequality in health. There is an urgent need for collaboration and strengthening of effective alcohol policies globally. Measures that effectively reduce alcohol consumption and related harms should be considered, such as restricting affordability and availability of alcohol.

**Read the study.** 



# Trends in Alcohol Use After the COVID-19 Pandemic

While alcohol was already a leading cause of illness and death prior to the COVID-19 pandemic, the pandemic was associated with increases in alcohol consumption and alcohol-related deaths. This study therefore looked to explore whether these increases in alcohol use persisted after the pandemic, considering what may be required to mitigate alcohol-related harm and mortality.

This involved the use of data from adults aged over 18 years old who participated in the National Health Interview Survey from 2018-2022, including responses from 24,965 respondents in 2018, 30,829 from 2020, and 26,806 from 2022. This study suggests that the prevalence of any alcohol use and heavy alcohol use during the COVID-19 pandemic (2020 versus 2018) showed increases which were sustained in 2022. Certain subgroups may have also had higher increases in heavy alcohol consumption including 40-49-year olds. It should be noted that the survey only

includes non-military and non-institutionalised participants, and so some groups who may have reported harmful alcohol use were excluded. The survey also relies on self-reports of alcohol consumption and so it is possible that some people may have underreported figures; all measures used were valid and reliable assessments of alcohol consumption within a population survey, however.

Potential causes of this sustained increase in alcohol consumption include the normalisation of, and adaptation to, increased drinking due to stress from the pandemic and disrupted access to medical services. Follow-up will therefore be important to understand whether these increases continue to persist. Results highlight a highly concerning public health issue that may require a combination of policy changes. Increased screening efforts for harmful drinking alongside behavioural interventions by health professionals, in tandem with community-based interventions for at-risk populations, should be considered to mitigate the public health consequences of the pandemic-related increase in alcohol consumption and harm.

**7** Read the study.



# **SAFER Initiative Webinars**

WHO, in collaboration with international partners, launched the SAFER initiative in 2018. "SAFER" is an acronym for the 5 most cost-effective interventions to reduce alcohol-related harm.

The SAFER Initiative is running a winter webinar series on each element of the programme throughout December.

Please sign up to each webinar individually.

**S** Monday, December 2nd at 10.30 - **Strengthen restrictions on alcohol** availability

8a

A Thursday 5th Dec., 10am - Advance and enforce drink driving countermeasures

F Tuesday, 10th Dec, 10am - Facilitate access to screening, brief interventions, and treatment

E Thursday, 12th Dec, 3pm - Enforce bans or comprehensive restrictions on alcohol advertising, sponsorship & promotion

R Tuesday, 17th December, 10am - Raise prices on alcohol through excise taxes and pricing policies



# Scottish Families Affected by Alcohol and Drugs: Stigma and Kindness Shorts

Friday 13<sup>th</sup> December 1pm – 2.15pm Online

Professor Alex Stevens will use ideas from his latest book, *Drug Policy Constellations*, to explain how the current mix of policies on drug-related deaths came to be. Instead of focusing on electoral politics, or appealing for 'evidence-based policy', Alex will show how particularly Scottish combinations of policy actors, ideas, morals and forms of power influenced the belated response to the crisis of drug-related deaths.





#### **Helping Sleep Happen – FASD Hub**

Wednesday 4<sup>th</sup> December 10am – 12.30pm Online

Workshop with AUK sleep counsellor and member of FASD Hub about why our children can find it difficult to settle, fall asleep and stay asleep.

We will explain some of the science of sleep, chat about the positive (and negative) influences on good sleep, and the particular issues our children and young people may have.

Meeting format to allow for discussion, and questions and answers.

This course is appropriate for parents/carers and professionals.





### SPECTRUM: Alcohol Knowledge Exchange Workshop

14th - 16th January, 2025


SPECTRUM is currently planning an additional Alcohol Knowledge Exchange Workshop which will take place early next year, again building on past workshops.

This workshop is suitable for anyone who is relatively new to alcohol or wants to get up to speed with the latest evidence on alcohol harms, policy research, evidence, and practice from world-leading experts. Aimed at colleagues working in policy and practice including civil servants, public health professionals,

researchers, charities and advocates in the UK and internationally. Further information including the workshop programme will be published on the website soon.

- Further information can be found in this document.
- To register for the workshop please fill out this Microsoft form.
- For further information contact Anna Orme: a.orme@ed.ac.uk

The Alcohol Knowledge Exchange workshop is being delivered in partnership with SPECTRUM, The NIHR Policy Research Unit, Addictions and University of Stirling.



#### Dragona, Anastasia

From: Alcohol Focus Scotland <enquiries@alcohol-focus-scotland.org.uk>

**Sent:** 19 December 2024 13:15 **To:** Dragona, Anastasia

**Subject:** Alcohol Focus Scotland latest - December 2024



December 2024















#### **Contents**

- New study suggests alcohol marketing increases consumption amongst heavier drinkers and poses a danger to people in recovery from alcohol problems
- Read Helen's Story
- Real terms funding cut and missed opportunities amount to disappointing budget which fails to take Scotland's alcohol harm emergency seriously
- AFS response to alcohol hospital admissions statistics
- Alcohol Deaths rise by 4.6% in England and Wales continuing to outpace rise in Scotland
- Expert medics call for the Scottish Government to capitalise on role of dentists in reducing alcohol harms

- SHAAP Remote and Rural Healthcare Briefing
- Researchers and advocates in alcohol, tobacco, and processed food are being threatened, intimidated, and discredited
- Charter of Rights for People Affected by Substance Use launched
- Evaluation of the National Mission on Drug Deaths
- Assessing alcohol industry penetration and government safeguards:
   the international alcohol control study
- Alcohol and Women Briefing
- "Outta sight, outta mind?". What do the public and professional stakeholders think about alcohol policy?
- Response to the Right to Addiction Recovery (Scotland) Bill Call for Evidence
- SARN: Call for Abstracts
- New SARG website launched
- Prevalence and Correlates of Alcohol and Drug Harms to Others
- Estimating recent trends in UK alcohol sales from alcohol duty revenue
- Early detection of liver disease in patients with alcohol use disorder improves long-term abstinence
- Rainbow Scots Survey
- New poll reveals toll of addiction across the UK
- Effects of narrative versus non-narrative pictorial warning labels on visual attention and alcohol-related cancer risk perceptions: An eyetracking study
- Alcoholic beverage consumption and female breast cancer risk: A systematic review and meta-analysis of prospective cohort studies
- Upcoming C.H.A.T training course
- What is FASD? for Parents & Caregivers
- SPECTRUM: Alcohol Knowledge Exchange Workshop



New study suggests alcohol marketing increases consumption amongst heavier

## drinkers and poses a danger to people in recovery from alcohol problems

Health campaigners are again urging the introduction of new restrictions on alcohol marketing to protect vulnerable groups after a new rapid literature review found that alcohol marketing poses a risk to people with or at risk of an alcohol problem.

The peer-reviewed study by University of Nottingham, commissioned by campaigning charity Alcohol Focus Scotland and published in the Journal of Alcohol and Alcoholism, reviewed existing research on the impact of alcohol marketing on people drinking at higher levels and those with experience of an alcohol problem.

From the ten studies reviewed, the research found that alcohol marketing likely has an effect on alcohol consumption amongst people with or at risk of an alcohol problem and can act as a trigger for people in recovery.

It reported that people who drink heavily are more likely to notice and be drawn to alcohol adverts, and that alcohol marketing can make people think and feel positively about alcohol, which can lead to increased consumption. For people in recovery, seeing alcohol marketing can act as a trigger; exposure to adverts can spark cravings and make it harder to resist the urge to drink.

The review highlighted how the content of adverts can be challenging for people in recovery, such as music and party scenes that create an association with good times. Some people in recovery reported coming up with their own strategies to avoid alcohol advertising and encountering alcohol in shops, making everyday tasks more difficult.

The publication of the review comes as the Scottish Government has further delayed a promised consultation on alcohol marketing pending an evidence review led by Public Health Scotland, which Alcohol Focus Scotland and others have described as another small victory for the alcohol industry at the expense of public health.

Laura Mahon, Deputy Chief Executive of Alcohol Focus Scotland said:

"The detrimental effects of alcohol marketing for children and young people are already well evidenced. This new literature review demonstrates that alcohol marketing also endangers the health and wellbeing of people drinking at higher levels, which is one in five drinkers in Scotland, as well as people in recovery from an alcohol problem. It is no exaggeration to say that pervasive alcohol marketing puts people's lives at risk.

"At this time of year these dangers are particularly acute. As well having to navigate a holiday period of parties and increased pressures to drink alcohol, people in recovery face amplified exposure to marketing messages that present alcohol as the ideal gift or as a fundamental, if not indispensable, part of celebrating Christmas and New Year with friends and family.

"We remain deeply disappointed at the slow pace of alcohol marketing reforms, with the Scottish Government's promised consultation delayed for a further evidence review. This is while Scotland's alcohol emergency continues, and alcohol deaths are at a 15-year high.

"The alcohol industry spends billions of pounds every year on advertising designed to drive up consumption and increase profits. Along with people in recovery, children and young people are particularly susceptible to alcohol marketing, and we know that exposure to alcohol marketing increases the likelihood that children and young people will start drinking earlier, drink more and go on to drink at problematic levels as adults.

"That is why we launched our Alcohol-Free Childhood campaign, which has attracted strong cross-party support in the Scottish Parliament and is supported by 50 organisations.

"This review strengthens the case for taking comprehensive action on alcohol marketing without further delay to protect vulnerable groups from harm. We once again urge politicians to come together to put people's right to health ahead of the profits of big business, with the additional benefit of reducing pressures on our NHS and growing our economy by reducing ill health in Scotland."

#### **8** Read the full story

#### **Helen's Story**


Further to the newly published University of Nottingham study on the impact of alcohol marketing on people in recovery and the risk posed to heavier drinkers, Helen shared her story with Alcohol Focus Scotland, citing the difficulties that she and others experience in trying to negotiate environments saturated in alcohol marketing.

#### **Helen's Story**

"I probably had alcohol problems from my early teens, not in an 'alcoholic' way maybe, but I was always a greedy drinker, always first in and last out of the party. I'd not really go to any social events unless they involved drinking. I was always quite a confident and outgoing person, and I found that alcohol calmed me down.

I was quite a sensitive young woman but didn't quite know how to deal with difficult emotions. I found alcohol helped me to manage those difficult emotions. But in my teens, I didn't think I was drinking very differently from my friends. In fact, I probably thought some of them were worse than me!"

Read Helen's story in full





Real terms funding cut and missed opportunities amount to disappointing

### budget which fails to take Scotland's alcohol harm emergency seriously

Alcohol Focus Scotland, the national charity working to prevent and reduce harm caused by alcohol, has questioned the Scottish Government's commitment to addressing Scotland's alcohol harm emergency following yesterday's draft Scottish Budget. The charity says that a mix of funding cuts and missed opportunities amount to a disappointingly lacking budget which will miss the mark in tackling alcohol harm.

The budget, announced by Cabinet Secretary for Finance and Local Government Shona Robison MSP, allotted £80.9 million for alcohol and drugs, an increase of only £500,000 funding from the previous year – amounting to a real terms cut.

£60 million of the budget for Alcohol and Drugs Policy is dedicated to the National Mission on Drug Deaths, with the remaining £20.9 million for investment in local prevention, treatment, recovery and dealing with the consequences of problem alcohol and drug use.

This means the Scottish Government have not taken on board the Audit Scotland recommendation in their recent **report into alcohol and drug services** that the Scottish Government must increase funding to tackle alcohol harm by mid-2025, while continuing to tackle drug-related harm.

In evidence to the Scottish Parliament's Public Audit Committee last month, the Auditor General warned that "the creation of the National Mission [for Drugs] has in part been at the expense of focus on alcohol deaths and alcohol services."

The Cabinet Secretary also neglected to heed **calls from health campaigners** to reintroduce a public health supplement on alcohol and tobacco retailers.

The NCD Alliance Scotland, an alliance of 24 major health charities, had written to the cabinet secretary prior to the budget to outline the strong case for the reintroduction of the public health supplement – citing increased revenues generated by the recent rise in minimum unit pricing for alcohol and strong public support for a levy on retailers selling health harming products.

Re-introducing a public health supplement could save lives by funding the scanning equipment and staff training needed to catch liver disease early – a preventative measure that would reduce pressure on and costs to the NHS.

Commenting on the budget, Laura Mahon, Deputy CEO of Alcohol Focus Scotland, said:

"With a real terms cut to funding on alcohol prevention and treatment, and the failure to re-introduce the public health supplement on alcohol retailers, the budget in its current form is disappointingly lacking in the ambition and determination needed to tackle Scotland's alcohol emergency.

"Three years ago, the Scottish Government used their budget to declare alcohol a public health emergency, yet this year made no mention of a crisis that has only worsened during that time – with alcohol deaths hitting a 15 year high in 2023.

"The Scottish Government has repeatedly pointed to funding for the National Mission as evidence that they are taking alcohol harm seriously. Yet Audit Scotland has now confirmed what Alcohol Focus Scotland has been saying for some time – that tacking alcohol onto the National Mission for Drugs is totally insufficient for the scale of the problem and has led to reduced focus on tackling alcohol harm.

"Audit Scotland has recently highlighted that NHS costs are projected to continue to rise, and that making savings remains challenging. With preventable liver disease accounting for most alcohol-specific deaths, and hugely costly to treat in its later stages, the Government must take this opportunity to re-introduce the public health supplement on large retailers.

"This levy, backed by 57% of the Scottish Public, would mainly affect large retailers with deep pockets who are currently profiting off the back of Scotland's alcohol emergency, and generating substantially higher revenues via the increase in minimum unit pricing.

"Funds raised could support a wide range of prevention and treatment initiatives to reduce alcohol harm, such as early detection of liver disease, which would save lives and provide one clear route to reducing cost pressures on our NHS.

"We urge the Scottish Government to accept Audit Scotland's recommendation to increase focus and funding on tackling alcohol harm and come back with

amendments to the budget that truly recognise the scale of the alcohol emergency we face."



### AFS response to alcohol hospital admissions statistics

Statistics published yesterday (17/12/2024) by Public Health Scotland show that in 2023/24 there were 32,301 alcohol-related hospital admissions (stays) in Scotland. This represents a 3.5% increase in hospital admissions compared to the previous year (31,206).

There remain strong inequalities between the sexes, with men twice as likely as women to be admitted to hospital for conditions wholly attributable to alcohol.

Strong social inequalities also persist, with those living in the most deprived areas of Scotland six times more likely to be admitted to hospital for alcohol-related conditions than those in the least deprived areas.

Responding to the figures, Laura Mahon, Deputy CEO of Alcohol Focus Scotland said:

"With alcohol deaths having reached a 15 year high in 2023, it is not surprising that we have seen an increase in alcohol related hospital admissions in 2023/24. This adds to a bleak picture of the direction of travel for alcohol harm in Scotland since the pandemic.

"We have been calling for an emergency response to what the Scottish Government has described as a public health emergency; and continue to be frustrated at the slow pace of action.

"Against a backdrop of rising deaths and now hospital admissions, in the past few months we have seen a rejection of the proposed reintroduction of the public health supplement on alcohol retailers in the draft Scottish budget and a delay to action on alcohol marketing.

9

"Furthermore, we have seen Audit Scotland agree with us that the National Mission on Drugs has led to reduced focus on tackling alcohol harm. They have also recently warned of unsustainable pressures on our NHS and said that the Government lacks a coherent plan to reduce these pressures.

"We urge the Scottish Government to set a new year resolution of once more getting serious about tackling alcohol harm in Scotland, and demonstrating the leadership they have previously shown with groundbreaking policies like minimum unit pricing."



# Alcohol Deaths rise by 4.6% in England and Wales – continuing to outpace rise in Scotland

Deaths from conditions wholly attributable to alcohol in England and Wales have increased by 4.6% from 2022 to 2023, reaching the highest number for the fourth year in a row.

**DHSC's Alcohol Profile** shows that **8,274 people died** from alcohol-specific causes in England in 2023 (up from 7,912 the year before). This is a 42% increase compared to 2019, before the pandemic. And compared to 2006, this is an increase of 64%. The death rate is at an all-time high of 15 per 100,000 people.

The majority of these deaths are from alcohol-related liver disease. 5,984 people died prematurely (under 75) from the disease in 2023, a rise of 3.6% from 2022, and a shocking **93% rise** compared to 2001.

The tragic rise in alcohol deaths in England and Wales was far steeper than the most recent rise in alcohol specific deaths in Scotland, which rose by just 0.08% in the past year, albeit still reaching an unacceptable 15 year high. Similarly, deaths in England and Wales have risen by 42% since 2019 compared with a 25%

increase in the same period in Scotland. The North East of England recorded a higher alcohol death rate than Scotland for the first time.

The new figures for England and Wales led the Alcohol Health Alliance to write to UK Health Secretary Wes Streeting calling on him to make addressing alcohol harm a top priority in 2025. The letter includes a call for the introduction of Minimum Unit Pricing (MUP) in England, which has been credited with limiting the increases in deaths in Scotland compared with the rest of the UK. With Northern Ireland having recently announced plans to introduce MUP, this would leave England as the only country in the UK not to have implemented the policy.

These figures confirm that not only Scotland, but the whole of the United Kingdom, is in the grip of an alcohol emergency, exacerbated by the Covid pandemic effects of drinking behaviours, adding further weight to the calls for governments across the UK to get serious about tackling alcohol harm.



# Expert medics call for the Scottish Government to capitalise on role of dentists in reducing alcohol harms

Dental Professionals (DPs) are ideally placed to support public health efforts to reduce alcohol-related harm by routinely screening patients and offering alcohol-related health advice, a scoping review commissioned by Scottish Health Action on Alcohol Problems (SHAAP) has found.

However, the review found that while DPs are encouraged to screen patient's alcohol consumption and provide advice in the form of alcohol brief interventions (ABIs), there is a reluctance to do this. This is due to concerns about a lack of time, training and funding.

The key recommendations presented in the report are:

- More research in the form of robust trials is needed on the feasibility and potential effectiveness of ABIs in dental practice settings.
- More research is needed to explore the utility of innovative approaches including virtual and computer-based screening tools and programmes to provide advice to dental patients on how to reduce their alcohol consumption.
- Collaborative working with DPs, dental patients and policymakers should be encouraged to identify strategic ways to address barriers to the delivery of alcohol-related health advice in dental practice settings.
- Regular and appropriate training should be provided to DPs to boost their confidence and normalise alcohol-related health advice as part of their relationships with patients.
- More research to capture dental patients' views on the acceptability of receiving alcohol-related health advice to inform training materials and clinical guidance.
- Public awareness of the public health role of DPs in addressing alcoholrelated harm should be promoted.



## SHAAP Remote and Rural Healthcare Briefing

Scottish Health Action on Alcohol Problems (SHAAP) has published a new briefing paper on remote and rural healthcare.

It notes that remote and rural communities across Scotland face unique challenges when it comes to prevention and support of people with alcohol problems. Approaches to reducing these harms tailored to fit their needs are required by service and healthcare providers, as well as policymakers.

Among the key points in the briefing paper are:

- 1,277 people died as a direct result of alcohol in 2023, an increase of one death since 2022 and the highest number since 2008.
- The number of people accessing structured alcohol treatment has been in sustained decline and is now 40% less than in 2013/14.
- Remote and rural communities across Scotland face unique challenges
   when it comes to prevention and support of people with alcohol problems.
- Alcohol and Drug Partnerships should carry out a needs assessment of rural communities and work to ensure that people living in rural communities can access specialist care and support.



#### **O UPDATE**

# Researchers and advocates in alcohol, tobacco, and processed food are being threatened, intimidated, and discredited

A new scoping review has detailed the shocking tactics employed by industry against advocates and researchers in the alcohol, tobacco and ultra-processed food space.

The review found intimidatory tactics towards advocates and researchers in every sector. Public discreditation, followed by legal threats and action, complaints and freedom of information requests were most frequently mentioned and often attributed to unhealthy commodities industries (UCIs) or their third parties. Surveillance, threats of violence, violence, burglary and bribery were less prevalent in the literature and their perpetrators were unknown.

Those intimidated reported carrying on as normal, taking defensive action (changing/adapting work, taking security precautions) or, as was most reported, offensive action (exposing intimidation, correcting misinformation, taking legal action). The similarity of intimidation across sectors suggests that UCIs engage in similar intimidatory tactics regardless of sector.

The researcher authors say that understanding more about the scale of intimidation and how it impacts the work and wellbeing of those affected is essential, as is learning more about the ways researchers and advocates can effectively pre-empt and respond.

**2** Read the Scoping Review



### Charter of Rights for People Affected by Substance Use launched

The Charter of Rights for People Affected by Substance Use has been launched, aiming to improve the experience of anyone needing support.

The Charter, recognised as the first of its kind in the world by the UN Office of the High Commissioner for Human Rights, aims to help ensure people know their rights and the support they can expect to receive, and that those who use drugs and alcohol, and their families, are treated with dignity.

It contains key human rights – mostly drawn from national and international law - belonging to people affected by substance use, most importantly the right to the highest attainable standard of physical and mental health, along with the right to an adequate standard of living and the right to a healthy environment.

The publication was developed by the National Collaborative - a network of people with lived experience and service providers. It was chaired by human rights expert

Professor Alan Miller.

#### **AFS Comment on the launch of the Draft Charter of Rights**

AFS remains deeply concerned about the ongoing delay to Scotland's Human Rights Bill. We, alongside over 100 organisations, signed a joint letter expressing concern over delays to the Bill.

In **response**, the First Minister reaffirmed plans to introduce the Bill in the next parliamentary session but failed to convey a sense of urgency. While the government stresses the importance of "getting the legislation right," immediate action is needed to tackle pressing issues like rising alcohol deaths and ensure access to safe and effective health services. AFS will continue to advocate for urgent government action to address pressing rights-related challenges.

This vital piece of legislation, which promises to embed international human rights standards into Scots law, is crucial for ensuring a comprehensive framework to protect rights, including the right to health. The delay underscores the urgency of advancing rights-based approaches and securing the infrastructure needed to make these rights a reality.

Meanwhile, the launch of the Charter of Rights for People Affected by Substance Use, developed by the National Collaborative, marks a milestone in Scotland's journey towards embedding human rights into substance use policy.

The Charter outlines key rights, including access to non-judgmental services, participation in decisions, and protection from discrimination. It offers a platform to advocate for rights-based reforms and ensure lived experiences are central to policymaking.

However, the impact of the Charter may be limited without the legal weight of domestic human rights protections, as proposed by the Human Rights Bill. A statutory framework would provide enforceable rights, ensuring the Charter's principles translate into tangible, on-the-ground outcomes.

Read more about the Charter of Rights



### **Evaluation of the National Mission on Drug Deaths**

As part of the Public Health Scotland (PHS) evaluation of the National Mission on Drug Deaths, the findings of a research project interviewing key individuals in the field have been published.

The findings show a degree of consensus that the Scottish Government's National Mission on Drug Deaths has already delivered some positive impacts, particularly, in strengthening drug treatment systems. However, the interviews also highlighted unintended negative consequences and missed opportunities in the National Mission, including not enough focus on:

- prevention and wider system determinants
- alcohol harm
- non-opioid and polydrug use
- supporting and resourcing frontline services
- the risk additional pressure in the system poses to sustaining a genuine culture of learning and improvement around drugs in Scotland

PHS undertook 13 confidential, in-depth interviews with senior drug stakeholders leading, at national or local level, on policy, advocacy, research or service delivery relating to drugs in Scotland.

The PHS evaluation is ongoing, with the further research results expected next year. These will include the perspectives of individuals with lived or living experience of drug use, their families and loved ones and Alcohol and Drug Partnership (ADP) coordinators.



# Assessing alcohol industry penetration and government safeguards: the international alcohol control study

The alcohol industry uses many of the tobacco industry's strategies to influence policy-making, yet unlike the Framework Convention on Tobacco Control, there is no intergovernmental guidance on protecting policies from alcohol industry influence. Systematic assessment of alcohol industry penetration and government safeguards is also lacking.

This new study published in BMJ Global Health aimed to identify the nature and extent of industry penetration in a cross-section of jurisdictions. Using these data, they suggest ways to protect alcohol policies and policymakers from undue industry influence.

The study found high levels of alcohol industry penetration overall. Notably, all jurisdictions reported the presence of transnational alcohol corporations, and most (63%) reported government officials or politicians having held industry roles. There were multiple examples of government partnerships or agreements with the alcohol industry as corporate social responsibility activities, and government incentives for the industry in the early COVID-19 pandemic. In contrast, government safeguards against alcohol industry influence were limited, with only the Philippines reporting a policy to restrict government interactions with the alcohol industry. It was challenging to obtain publicly available information on multiple indicators of alcohol industry penetration.

The authors recommend that Governments need to put in place stronger measures to protect policies from alcohol industry influence, including restricting interactions and partnerships with the alcohol industry, limiting political contributions and enhancing transparency.

Read the study



#### **Alcohol and Women Briefing**

Women account for one third of alcohol deaths in Scotland, with over 1,000 women losing their lives each year. The rate of women dying from an alcohol-specific condition has gradually increased over the last decade.

A large proportion of alcohol-related deaths are from cancers; for example, alcohol is responsible for around 1 in 8 female deaths from breast cancer in Scotland for those aged 35-64 year olds.

Against this backdrop of increasing harm, Alcohol Focus Scotland has published a new briefing paper on alcohol and women's health.

#### Summary:

- The Women's Health Plan prioritises three key areas Abortion, Sexual Health and Pre-pregnancy; Menopause and Menstrual Health; and Heart Health. Each of these aspects of health are affected by alcohol.
- 1,000 women die from alcohol each year in Scotland, with alcohol responsible for 1 in 8 deaths from breast cancer amongst 35–64-year-olds.
- Alcohol impacts reproductive health with links to several conditions impacting the menstrual cycle, fertility and pregnancy.
- Age is also an important factor in exacerbating alcohol harm in women, as
  we know menopause can affect women's overall quality of life and expose
  them to increased health risks. Women are more likely to use alcohol as a
  coping mechanism and should receive advice on the effects of alcohol on
  their menopausal symptoms.
- There is evidence of alcohol marketing targeting women and perpetuating gender stereotypes as well as increasing women's consumption of alcohol.
   Restrictions on alcohol marketing would reduce consumption and lessen the social pressure on women to drink.

 Mandating the inclusion of drinking guidelines, health warnings and calorie content on alcohol labels is a simple and effective way to communicate health information and address the limited awareness of alcohol harms.

#### **3** Download the Briefing

#### POLICY

# "Outta sight, outta mind?". What do the public and professional stakeholders think about alcohol policy?

The Institute for Alcohol Studies has published a new blog by Dr Elena Dimova of Glasgow Caledonian University where she discusses her recent research, funded by the Economic and Social Research Council, exploring both public and professional stakeholders' opinions on several policy suggestions to reduce alcohol use and harms.

The researchers spoke to 45 people living in different neighbourhoods across Scotland and 14 professionals from third sector, policy, public health and alcohol licensing. We presented them with a list of policy suggestions and discussed their views on acceptability, feasibility and likely success.

#### Policy suggestions included:

- Restricting alcohol advertising and sponsorship of sporting events and festivals, and restrict alcohol advertising in public spaces such as streets, parks and on public transport
- Banning the sale of alcohol near schools and playparks
- Limiting the number of places which sell alcohol in neighbourhoods where there are already lots of places to buy it

 Alcohol only being sold in one area of the shop which is hidden by a physical barrier

#### **7** Read the blog

#### **O** CONSULTATIONS

## Response to the Right to Addiction Recovery (Scotland) Bill – Call for Evidence

We have published our response to the call for evidence on the Right to Addiction Recovery (Scotland) Bill.

While we do not support the Bill, we have chosen to take a pragmatic approach seeking to outline how we believe it falls short and what would be necessary to genuinely deliver the change it claims to seek in practice.

In the response, we highlight several limitations of the Bill as it is currently drafted. Key concerns include:

- The Bill does not create enforceable rights.
- Its scope and terminology risk excluding many people who require support, particularly those without a formal diagnosis of 'addiction.'
- It does not realistically account for the scale of the problems in the system or the resources needed to bring about meaningful change.

We believe there are alternative mechanisms that would be far more effective in achieving the aims the Bill seeks to address – specifically, the reintroduction of the Scottish Human Rights Incorporation Bill to the Scottish Parliament as soon as possible.

#### Read our response

#### RESEARCH

#### **SARN: Call for Abstracts**

Scottish Health Action on Alcohol Problems (SHAAP) and Scottish Alcohol Research Network (SARN) have launched their call for abstracts for the 2025 SHAAP/ SARN Alcohol Occasionals. Seminars take place online and offer researchers a great opportunity to showcase their work to a wide audience.

The team are interested in hearing from researchers from any discipline who wish to share their research relating to alcohol. They welcome presentations from new and early career researchers and international researchers. There will be four seminars in the series, all 12:45pm-2pm (UK time). Please save the following dates:

- Monday 12th May 2025
- Monday 23rd June 2025
- Monday 1st September 2025
- Monday 6th October 2025

The proposal should be structured using the following headings: Background, Methods, Results, Conclusion. The word limit is 300 words (excluding title) and the proposal should demonstrate the relevance of the research to alcohol in Scotland. Applicants should ensure all authors have approved the submission. All proposals must include a completed conflict of interest form.

Please submit your proposal and conflict of interest form to **shaap@rcpe.ac.uk**, copying in **j.mcgarry@rcpe.ac.uk**. Please also provide an indication of whether the research you intend to present has been published, or if there are plans to publish the research in the future. Finally, please include your availability for the proposed seminar dates. The deadline for proposal submissions is **Friday 31st January at 5pm**.

With the presenter's permission, each seminar will be recorded and shared, with an event report written to further disseminate research findings and discussion points from the seminar.

**Wiew previous event reports.** 

#### **Q** RESEARCH

#### **New SARG website launched**

The Sheffield Addictions Research Group (SARG), who conduct public health and health economic research on alcohol, tobacco, gambling and addiction, have launched their newly revamped website.

The SARG is based in the Sheffield Centre for Health and Related Research at the University of Sheffield. Their innovative research, including modelling the effects of policy interventions and understanding complex human behaviour, has directly shaped legislation and public health strategies in the UK and internationally. They are an international centre of excellence for public health research on alcohol with the Sheffield Alcohol Research Group, created in 2008, playing an integral role in policy development and public debate.

Examples of the impact of their work include their policy model, which provides estimates of the effectiveness of alcohol policies, significantly influencing the changes to the low risk drinking guidelines in the UK and Australia. Their work on screening and brief interventions for alcohol helped to inform national clinical guidance on the wider use of these in healthcare settings. Currently, the group are leading a project investigating the public health implications of the increased availability of alcohol-free and low-alcohol drinks.

**Visit their website** 



#### RESEARCH

### Prevalence and Correlates of Alcohol and Drug Harms to Others

A study has been published in the Journal of Studies of Alcohol and Drugs, exploring the prevalence and overlap of second-hand harm from other people's use of alcohol, cannabis, opioids, or other drugsin the US, using data from the 2020 US National Alcohol Survey.

This study used data from 7,799 respondents and included second-hand harms consisting of family difficulties, traffic accidents, vandalism, physical harm, and financial difficulties. 34.2% of people said they had experienced second-hand harm from alcohol in their lifetime, substantially more than the 5.5%, 7.6%, and 8.3% reported for cannabis, opioids, or other drugs, respectively. There was substantial overlap, with 30% of those reporting second-hand alcohol harms also reporting second-hand drug harms. Results indicate that 1/3 of adults experienced at least one of the second-hand harms from someone else's alcohol use over their lifetime, equating to around 113 million people.

The following demographics were correlated with second-hand substance harms: female sex (alcohol and other drugs); being White (for alcohol and opioids); Native American (opioids); Black (cannabis); and being separated/divorced/widowed (opioids). Having a family history of alcohol problems significantly increased the odds of reporting second-hand harms across substance types. Dr Kerr, one of the researchers on this project, explained that, for every person with a substance use disorder many more may be harmed in some way, to some degree. That underscores the need to improve people's access to substance use treatment, and the importance of harm reduction efforts, such as preventing people from driving under the influence.

**7** Read the study.



### Estimating recent trends in UK alcohol sales from alcohol duty revenue

The onset of the COVID-19 pandemic led to significant changes in individual-level alcohol consumption and a sharp increase in heavy drinking in the UK. More recently, high rates of inflation, the resulting 'cost-of-living crisis' and reforms to alcohol taxation have affected the affordability of alcohol, but little is understood about how these changes have impacted on alcohol sales and consumption.

This study aimed to gain insights into recent trends in alcohol sales by assessing changes in alcohol duty revenue collected by the UK government.

The study found that during the pandemic, alcohol duty receipts fell during lockdowns and rose as restrictions were subsequently lifted. Since 2022 alcohol duty receipts have been consistently below the historical trend, with a gradually increasing deficit in wine receipts and comparable deficit in spirits receipts that

began sharply in late 2022. The reforms to the alcohol duty system in August 2023 do not appear to have significantly affected these trends.

The authors conclude that findings suggest that the 'cost of living crisis' in 2022/23 has led to a fall in alcohol sales relative to the pre-pandemic trend. The magnitude of this fall differs by beverage type, indicating that wine and spirits drinkers may have changed their behaviour more than beer and cider drinkers.

#### Read the study

NB: This is a pre-print. The study has yet to be peer reviewed.

#### RESEARCH

### Early detection of liver disease in patients with alcohol use disorder improves long-term abstinence

A recent study exploring early detection of liver disease in patients with Alcohol Use Disorder (AUD), has observed that Fibroscan, a scan that measures the 'stiffness' of your liver which reflects the degree of scarring – fibrosis – in your liver, successfully identified those at high risk for cirrhosis.

Standardised protocols for early identification of alcohol-related liver disease are limited. The study looked at data from 257 veterans who were admitted to residential treatment for severe AUD. The researchers sought to understand the prevalence and risk factors associated with elevated liver stiffness measurement in patients with AUD, and to identify factors associated with abstinence and better outcomes.

Participants were offered a liver health screening, and it was observed that Fibroscan successfully identified those at high risk for cirrhosis. These results highlight the potential for Fibroscanning, with this providing an opportunity to identify patients at risk for compensated advanced chronic liver disease before decompensation, where the liver is no longer able to function adequately. These

high-risk patients showed improved abstinence rates at 1-year follow-up, suggesting that early liver disease detection may be a valuable adjunct to promote long-term recovery.

**7** Read the study.

#### RESEARCH

#### **Rainbow Scots Survey**

Many studies have shown that LGBTQ+ women and nonbinary people are at higher risk than cisgender heterosexual women of experiencing harm from alcohol.

Glasgow Caledonian University, in partnership with Columbia University in the USA, are conducting an online survey to learn about what types of messages and resources might be helpful for LGBTQ+ women and nonbinary people who want to reduce the amount they drink or become more curious about when, why, and where they drink. They also hope to learn about what is most helpful in supporting individuals to make healthy choices while still enjoying life and social events.

They plan to recruit 120-220 LGBTQ+ women and nonbinary people to participate in the survey. To check to see if you are eligible to participate and to ensure that we include a diverse range of individuals who broadly represent the LGBTQ+ and nonbinary communities in Scotland, please complete the brief questions below. It should take less than five minutes to complete.

If you are eligible, you will be directed to a document that describes the terms and conditions of the study (the informed consent document). If, after reading the consent form, you wish to participate, you can indicate this by clicking "Yes, I agree," which will take you to the survey.

**If you are not eligible**, the team appreciate your interest in the study. You can see what other research is underway at the GCU Research Centre for Health by

clicking on this link.

#### Find out more and take part





#### New poll reveals toll of addiction across the UK

Taking Action on Addiction (TAOA) is a national campaign that aims to improve understanding of addiction and to end the stigma that comes with this. They have commissioned research into the scale of dependency in the UK to explore the toll of addiction.

The researchers interviewed a representative sample of 2,139 adults in the UK. Findings revealed that 11% of participants had experienced addiction to alcohol, drugs, medication or gambling at some time in their lives. Around 47% had either experienced, or knew someone who had experienced, drug, alcohol, medication or gambling dependency. This equates to almost 23 million adults across the UK.

Alcohol was the most prevalent dependency, which accounted for 49% of dependencies described. Whilst the researchers queried if alcohol consumption had possibly increased during the pandemic, it was revealed that 31% of people with alcohol dependency said their consumption is higher now than before March 2020. Furthermore, 10% of those who have consumed alcohol since March 2020

state that drinking is now part of their daily routine.

Amongst those living with addiction, either directly or indirectly, 54% stated that their physical health has suffered and 53% highlighted emotional or psychological distress. Other negative impacts included financial issues (46%) and relationship problems (41%). Stigma was also highlighted as a major barrier to seeking support, with 21-43% of those with direct experience of addiction saying that shame would prevent them from seeking support from sources including their GP or employer. Results from this study highlight that addiction continues to be a hidden condition, with the researchers emphasising that it does not have to be this way; recovery is possible.

Read more.



## Effects of narrative versus non-narrative pictorial warning labels on visual attention and alcohol-related cancer risk perceptions: An eye-tracking study

Awareness of the risk of alcohol consumption amongst the public is low. As alcohol use is a preventable risk factor for cancer, the researchers in a new study have investigated a promising new approach to raising awareness, using narrative pictorial warning labels (PWLs) on alcohol products, which depict lived experiences as opposed to traditional health effects within pictures.

Participants included 649 moderate and heavy drinkers, who took part in an online, eye-tracking experiment. The study tracked eye movements to explore whether greater attention was paid to the narrative PWLs, compared to the more commonly used, non-narrative PWLs. Narrative PWLs are representations of characters and events which depict the lived experience of people affected by unhealthy product consumption. Non-narrative PWLs focus on the physical impact of disease, often using graphic depictions of health effects.

Across both the narrative and non-narrative conditions, results showed that participants paid more attention to the labels which contained pictures as opposed to text. Participants also spent more time viewing the narrative PWLs compared to the non-narrative PWLs. There was no significant effect on risk perceptions however, meaning these did not lead to increased perceived risks of alcohol in participants. The amount of visual attention directed to images also did not seem to impact perception of risk. Findings highlight the potential of narrative PWLs to visually engage potential consumers' attention. Further research is needed however, to understand why the narrative PWLs did not outperform the non-narrative PWLs in shaping risk perceptions.

Read the study.

#### RESEARCH

## Alcoholic beverage consumption and female breast cancer risk: A systematic review and meta-analysis of prospective cohort studies

Alcohol consumption is an established cause of breast cancer, with the World Health Organisation confirming that "no level of alcohol consumption is safe". A new study has now undertaken a systematic review to more closely examine the association between alcohol and female breast cancer.

This systematic review is consistent with previous studies, with the eye-opening results showing that consuming less than one standard drink per day (10g) at all periods of life significantly increases the risk of breast cancer compared with no intake. In addition, this review provides further evidence that alcohol consumption is associated with a higher risk of both premenopausal and postmenopausal breast cancer.

The researchers highlight that there is limited awareness of the relationship between alcohol consumption and breast cancer risk, with **research** suggesting only 11-17% of people in the UK are aware of this. To inform the public about the

deleterious health effects of alcohol consumption, compulsory warning labels and public health information campaigns should be implemented. People have the right to know the dangers of what they are consuming, and so providing greater awareness around this via labelling and campaigns could support with informing the public about the risks of alcohol consumption. The researchers also emphasise the need for increased screening for alcohol-related disorders and integrating evidence on the association between alcohol consumption and breast cancer into brief intervention guidelines. Findings support evidence-based cancer prevention guidelines to reduce alcohol-related risks.

**7** Read this study.



#### **Upcoming C.H.A.T training session**

Tuesday 11th March 2025 9.30am-12.30pm

The CHAT toolkit is a flexible and in depth resource pack with practitioner training to help provide focused support to children, young people and families affected by alcohol harm or in recovery. "Brilliant training. Extremely relevant to Social Work and building trusting relationships. Resource pack brilliant and can be used so we can build relationships positively rather than being seen as scary social worker".

#### Learning outcomes:

- Discuss the impact of alcohol on Scottish society.
- Describe the impact of harmful parental drinking on children and families.
- Describe the key themes of CHAT and how they relate to supporting children, young people and families affected by alcohol harm or in recovery.

 Demonstrate how to use the CHAT resource with children, young people and families.

#### Who is it for?

Anyone working with children, young people, or families affected by alcohol harm or in recovery. In particular, family support workers, addiction workers and social workers.

#### Find out more and book your place





#### What is FASD? for Parents & Caregivers

Are you a parent or carer of someone who has been prenatally exposed to alcohol?

Do you want to know more about Fetal Alcohol Spectrum Disorder (FASD)?

Written and delivered by the FASD Hub Team, this 3 hour course covers topics such as:

- How alcohol affects the developing fetus
- FASD, its prevalence and how it affects people
- The diagnostic process (Scotland, England & Wales)
- Signposting to additional resources and information

- There will also be an opportunity to ask our FASD Advisors any questions you may have.
- All attendees will receive a digital handbook after the session.

This is a fully-funded event for Parents and Carers living in Scotland.

If you are outwith Scotland, there is an option to purchase a ticket. Discount is provided to AUK members.

**3** Book your place



### SPECTRUM: Alcohol Knowledge Exchange Workshop

14th - 16th January, 2025

SPECTRUM is currently planning an additional Alcohol Knowledge Exchange Workshop which will take place early next year, again building on past workshops.

This workshop is suitable for anyone who is relatively new to alcohol or wants to get up to speed with the latest evidence on alcohol harms, policy research, evidence, and practice from world-leading experts. Aimed at colleagues working in policy and practice including civil servants, public health professionals, researchers, charities and advocates in the UK and internationally. Further information including the workshop programme will be published on the website soon.

- Further information can be found in this document.
- To register for the workshop please fill out this Microsoft form.

For further information contact Anna Orme: a.orme@ed.ac.uk

The Alcohol Knowledge Exchange workshop is being delivered in partnership with SPECTRUM, The NIHR Policy Research Unit, Addictions and University of Stirling.





#### Dragona, Anastasia

From: Alcohol Focus Scotland <enquiries@alcohol-focus-scotland.org.uk>

**Sent:** 29 January 2025 12:30 **To:** Dragona, Anastasia

**Subject:** Alcohol Focus Scotland latest - January 2025



January 2025















#### **Contents**

- Budget deal sees real terms increase in alcohol and other drugs funding, but focus on alcohol remains unclear
- Support the Parliamentary Motion on impact of alcohol marketing on people in recovery
- US Surgeon General Alcohol Cancer Advisory reignites discussion on mandatory health warning labelling
- New alcohol marketing restrictions come into force in Ireland
- The political is personal: Exploring drinking cultures in Westminster and making the case for more alcohol support
- Evaluation of the Scottish Government Residential Rehabilitation programme

- Portman Group to launch audit of so called 'responsible alcohol marketing'
- Ross's Story
- AHA position on Alcohol-Free and Low-Alcohol Drinks
- Different Types of Alcohol Tax and Minimum Pricing Policies: An Evidence and Policy Review
- Movendi Report Exposing Big Alcohol Predatory Practices
- Confronting alcohol's costly toll: why the European region needs clearer, evidence-based policy
- SHAAP Blog: Beyond Stigma: Understanding and Using Human Rights in Recovery
- Exploring public support for novel tobacco and alcohol control policies in Great Britain 2021–2023: A population-based crosssectional survey
- Age verification and underage accessibility of official alcohol companies' websites and brand pages on Facebook and Instagram
- Taking pleasure seriously: Should alcohol research say more about fun?
- Analysing Questions About Alcohol in Pregnancy Using Web-Based
   Forum Topics: Qualitative Content Analysis
- Modelling the potential health, health economic and health inequality impact of a large-scale rollout of the Drink Less app in England
- Rainbow Scots Survey
- Zero alcohol products and adolescents: A tool for harm reduction or a trojan horse?
- Alcohol increases risk of colorectal cancer, whilst calcium protects
- Licensing Standards Officer Training
- Children Harmed by Alcohol Toolkit (C.H.A.T)
- FASD Unlocked: Practical strategies for Professionals
- SARN Early and Mid-Career Researcher Event
- 50th Annual Alcohol Epidemiology Symposium of the Kettil Bruun Society



# Budget deal sees real terms increase in alcohol and other drugs funding, but focus on alcohol remains unclear

The Scottish Government has reached a deal with the Scottish Liberal Democrats and Scottish Greens in Holyrood to support the upcoming budget.

The deal includes increased investment in drugs and neonatal services of £100,000 in this financial year and an additional £1 million in the 2025/26 budget for Aberlour to develop these services. A further investment of £1.5 million in broader alcohol and drugs services will ensure the total investment in this area will increase in real terms.

AFS is pleased to see the government agreeing to increase funding, although there is still some way to go to meeting the recommendation made by Audit Scotland for an increased focus on and funding for alcohol. We will continue to advocate for more action in the coming months.



# Support the Parliamentary Motion on impact of alcohol marketing on people in recovery

At the end of December, Monica Lennon MSP lodged a motion in parliament welcoming the newly published research from the University of Nottingham on the impact of alcohol marketing on people in recovery and the risk posed to heavier drinkers.

The motion has so far been supported by 16 MSPs from across 3 of the parties represented in parliament.

The motion has been published on the <u>Scottish Parliament's website</u> and we would encourage you to write to your MSP asking them to support the motion. This is important to raise awareness of this important research among MSPs and gain further support for measures to reduce alcohol harm.

Write to your MSP



# US Surgeon General Alcohol Cancer Advisory reignites discussion on mandatory health warning labelling

The US Surgeon General has issued a new advisory on the links between alcohol and cancer. The advisory highlights alcohol use as a leading preventable cause of cancer in the United States, contributing to nearly 100,000 cancer cases and about 20,000 cancer deaths each year.

The advisory states that alcohol consumption is the third leading preventable cause of cancer in the United States, after tobacco and obesity, with the largest burden of alcohol-related cancer in the U.S. being for breast cancer in women, with an estimated 44,180 cases in 2019, representing 16.4% of the approximately 270,000 total breast cancer cases for women.

It goes on to note that globally, 741,300 cancer cases were related to alcohol consumption in 2020; and warns that 185,100 of those cases were related to consumption of approximately two drinks daily or fewer.

The publication of the advisory has reignited the discussion in Scotland and the United Kingdom around the need for mandatory health warning labels on alcohol products. Currently, the alcohol industry decide what information to provide on their

products, guided by the alcohol industry-funded Portman Group.

This reliance on the industry to provide information on a voluntary basis has failed the public, with alcohol labelling in the UK consistently found to be lacking. For example, in the Alcohol Health Alliance's most recent **review**:

- Just 3% of products displayed a health warning
- 1 in 5 provided a full list of ingredients
- 41% stated calorie content
- 65% included the up-to-date Chief Medical Officers' drinking guidelines

AFS and partners are continuing to lobby and work with the Scottish Government and others across the UK to bring about the introduction of mandatory health warnings on alcohol products. We believe the public has the right to know what's in the products they are consuming so that they can make informed choices about their health.

- **7** Read the Advisory
- **3** Visit our website for more on our work on labelling



# New alcohol marketing restrictions come into force in Ireland

Alcohol Action Ireland (AAI) has welcomed the new broadcast watershed ban on television and radio advertising in Ireland, which came into force on the 10<sup>th</sup> of January.

The watershed – Section 19 of the Public Health (Alcohol) Act 2018 (PHAA) – will ensure a daytime broadcasting ban on alcohol advertising, with no advertisements for alcohol products on television from 3am to 9pm and on radio on weekdays from 3pm to 10am the following morning.

AAI say this will help to reduce the level of exposure of children to alcohol marketing, which is known to be a key driver of both initiating alcohol use by children and increasing use. They add that this is a particularly important restriction given that Diageo is currently the Number 4 advertiser to children in Ireland and at least 50,000 children start to drink every year.

AAI CEO Dr Sheila Gilheany said: "Ireland is rightly praised internationally for its leadership in passing the PHAA, which is a suite of quite modest measures designed to provide some degree of protection from the tactics of an aggressive industry acting against the population's health through relentless marketing. AAI and many others have strongly campaigned for years for its introduction and since it was passed alcohol consumption per capita has dropped by 10%, which is positive.

"However, the fact that the broadcast watershed is only coming into force now, almost seven years after being signed into law, and that not all sections of the PHAA are in force yet shows the power of the alcohol industry's lobbying efforts to stymie and delay progress. The different sections of the PHAA are designed to complement one another, and the legislation's public health benefits will only be fully realised when all the sections are enforced. With Ireland still drinking at a level 40% higher than HSE lower-risk guidelines, this is an imperative."

The new regulations, coming into force in addition to legislation on mandatory health warning labels, leaves Scotland and the rest of the UK trailing in Ireland's wake when it comes to alcohol harm prevention policy.

The Scottish Government has announced a review into alcohol marketing restrictions to be carried out by Public Health Scotland, but has not yet given an indication of scope or timescales.





# The political is personal: Exploring drinking cultures in Westminster and making the case for more alcohol support

New research by Alcohol Change UK has shone a spotlight on drinking cultures at Westminster, whilst also showing that there is strong support among MPs for action to tackle alcohol harm.

They conducted a representative survey of MPs which suggests that key factors such as late nights and social media abuse are having a negative impact on MPs' wellbeing, and as a result, their alcohol consumption. And, while some feel the expectation to drink, others believe there is a shift in the historic alco-centric culture as a raft of new MPs entered Parliament.

#### Key findings included:

- 1. Just 16% of all MPs would describe the House of Commons as a highly supportive place to work, when it comes to alcohol. This falls to just 8% for female MPs. Female MPs are also more likely to agree with the statement that that their mental health is worse since being elected, than they are to disagree. Social media abuse, and late-night sittings, appear to be bigger triggers for alcohol consumption than the number of bars on the Parliamentary estate.
- 2. Almost **three in ten** (28%) MPs think it is acceptable to drink before voting or speaking in the House. This varies considerably by party.
- 3. On alcohol policy more broadly, MPs back action.
- 74% support not allowing alcohol marketing where it can be seen by large numbers of children.
- 58% support compulsory labels on alcoholic products with health warnings.
- 66% support compulsory labels on alcoholic products with calories and ingredients.

Following the research, Alcohol Change UK has made recommendations on how the House of Commons could create a more supportive environment for MPs.

They are:

- Supportive standards: clearer guidance on standards for MPs when it
  comes to alcohol, linked to appropriate support: including a ban on drinking
  before voting or speaking in the House, and guidance on accepting gifts
  and hospitality from the alcohol industry, and other health-harming sectors,
  in Parliament.
- 2. **Support from other MPs**: including training for MPs to be able to better support their colleagues who may be experiencing issues with alcohol, and training for Whips to deal with alcohol-related issues.
- 3. **Proactive support:** outreach to vulnerable groups and holistic support to address underlying issues and potential triggers, such as late-night sittings.





## **Evaluation of the Scottish Government Residential Rehabilitation programme**

Public Health Scotland has published a new Evaluation of the Scottish Government's Residential Rehabilitation Programme on the number of individuals starting a residential rehab placement.

The report says that "the data now available allows us to conclude that the Scottish Government reached its target of 1,000 individuals publicly funded to go to residential rehab per year in financial year 2022/23."

It goes on to say that "There were 1,033 confirmed records of individuals starting a publicly funded placement in 2022/23."

In 2022/23 (based on data submitted by 19 residential rehab providers to PHS in 2024):

- 1,670 individuals started a residential rehab placement in Scotland.
- 681 (41%) individuals started a placement for alcohol use, 475 (28%) for drug use and 514 (31%) for co-dependency.
- 1,180 (71%) of those starting a placement were males; 489 (29%) were females. One individual was not classified as male or female.
- 1,033 (62%) individuals started a placement which was publicly funded and 637 (38%) started a placement which was solely privately funded.

Audit Scotland, in its recent report on Alcohol and Drug Services, noted that government targets relating to residential rehab are not based on current or estimated demand, and the need for residential rehabilitation is difficult to measure. Even in meeting their target of 1,000 publicly funded places, it is not clear if this will be sufficient to meet the level of demand for residential rehabilitation required across Scotland.

**3** Read the evaluation



# Portman Group to launch audit of so called 'responsible alcohol marketing'

The Portman Group – the alcohol industry funded industry self-regulator – has announced plans for an audit conducted by Zenit Global, part of a Food and Beverage Media Company, to asses whether alcohol marketing complies with it's industry compiled Code of Conduct.

The audit will select 500 alcoholic drinks in the UK market which will be assessed against the Naming and Packaging Code of Practice. The Code of Practice consists of 12 industry written rules which they claim ensure that alcohol is marketed in a 'socially responsible way', only to those aged 18 and over, and in a

way that does not appeal particularly to those who are vulnerable.

There is strong evidence to suggest that the alcohol industry does in fact engage in marketing practices designed to appeal to children and young people, as well as targeting other vulnerable groups including heavy drinkers, women and the LGBTQI+ community (who experience greater alcohol harm than the rest of the population).

Industry insiders are **quoted discussing** how, "In the longer term we had to attract more younger drinkers – the heavy-using loyalists of tomorrow".

Policymakers and public health professionals should be alert to increased activity around the publication of this report seeking to claim that the alcohol industry is engaging proactively in ethical marketing practices – rendering a need for mandatory restrictions on marketing activities unnecessary.

The fact remains that there is strong evidence that **industry self-regulation does not work**, with guidelines of self-regulated alcohol marketing codes violated routinely, resulting in excessive alcohol marketing exposure to youth and the use of content that is potentially harmful to youth and other vulnerable populations.

Current self-regulation codes have also been found to suffer from vague language that may allow the industry to circumvent the guidelines, loopholes that may obstruct the implementation of the codes, lax exposure guidelines that can allow excessive youth exposure, even if properly followed, and a standard of review that may be inappropriate for protecting vulnerable populations.

The best way to ensure that the alcohol industry cannot and does not target children and young people, or other vulnerable groups, remains to introduce legislation to restrict the marketing of alcohol.



### **Ross's Story**

Alcohol Focus Scotland is delighted publish the latest addition to our 'Your Stories' collection on our website. 'Your Stories' is a collection of lived experience of stories of those who have experienced alcohol harm, whether because of their own or someone else's alcohol use.

In our latest story, Ross tells us about his experience of an alcohol problem, including how he started out drinking like anybody else before slowly developing a more serious problem, how he thinks cheap alcohol prices played a role in his developing issues with alcohol – especially in university – and how he was able to get into recovery.

He also offers his thoughts on how we can reduce alcohol harm in future.

#### **Ross's Story**

"My name is Ross and I'm 42 years old. I first drank alcohol when my friends and I at school became of the age to start going to nightclubs. At that time, it was a purely social affair, and drinking was only part of the broader activity of socialising. My drinking began to progress to binge drinking and then alcoholic drinking as I got older to the point where socialising was never part of it, and I only drank alone in my flat."

**7** Read Ross's Story in full





## AHA position on Alcohol-Free and Low-Alcohol Drinks

The Alcohol Health Alliance, of which Alcohol Focus Scotland is a member, has published a new policy position on alcohol-free and low-alcohol drinks (sometimes referred to as NoLo products).

Alcohol-free and low-alcohol drinks are becoming increasingly popular. From a low base in the UK, the growth has been rapid and alcohol companies are now increasingly recognising their commercial potential.

This document sets out the full AHA policy position on alcohol-free and low-alcohol drinks. It covers 8 key areas where we are calling for changes and/or new national policies. These include:

- 1. Product definitions
- 2. Labelling
- 3. Licensing and consumption settings
- 4. Marketing and brand exposure
- 5. Price and availability
- 6. Monitoring trends and research
- 7. The role of industry
- 8. The importance of tackling alcohol harm

The policy position acknowledges that alcohol-free and low-alcohol products could have a substantial role to play in reducing alcohol consumption and alcohol harm. Anecdotally, we know some people report that they find NoLo products useful in reducing their drinking, and the potential for NoLos to contribute to a population level reduction in alcohol consumption certainly exists if these products are used as a substitute, rather than in addition to, alcoholic drinks. Further evidence will be required on how these products are being consumed before firm conclusions can be drawn.

Concerns have also been raised that NoLo products are being used as a distraction from policies that we know definitely do work to reduce alcohol harm, namely increasing price, restricting marketing and reducing availability of alcohol. The alcohol industry may use conversations around NoLo products to sway policymakers from taking genuinely effective action that would harm their revenues. The AHA policy paper makes clear that policies on alcohol-free or low-alcohol products should be considered alongside other well evidenced interventions, not as a replacement for them.

The paper identifies a number of key concerns around alcohol-free or low-alcohol products that will require further consideration and study:

 Acting as a gateway to alcohol use, particularly for children and young people;

- Triggering relapse into active alcohol use for some in recovery;
- Being confusing (or even misleading) to consumers regarding their alcohol content, strength, and potential for causing harm, especially for vulnerable groups such as those who are pregnant or at higher health risk;
- Promoting alcohol brands and products where the alcohol-free or lowalcohol counter parts share the same branding as the alcoholic products.
- **Read the Policy Position Paper**





# Different Types of Alcohol Tax and Minimum Pricing Policies: An Evidence and Policy Review

This new evidence review presents the best available evidence regarding types of alcohol taxation and alcohol pricing policies and their effectiveness in reducing alcohol harm, by reviewing scholarly and grey literature.

The latest evidence shows that alcohol taxation, particularly when based on alcohol content, can be highly effective at reducing alcohol consumption and subsequent harm, while providing governments with increased revenue. Minimum

pricing policies can complement taxes by specifically targeting higher-risk drinking and reducing health inequalities. Alcohol taxes benefit population health as well as government revenue, and minimum pricing can complement taxes by setting limitations to commercial practices which undermine health goals.

#### **Main points**

- Reducing the affordability of alcohol—by raising alcohol taxes and introducing a minimum price—is the most effective and cost-effective way to reduce alcohol consumption and subsequent harm, while raising government revenue.
- Taxing alcohol based on its strength is the best for public health, as it
  incentivises the production and consumption of lower strength, less harmful
  products.
- Evidence shows that increasing alcohol tax rates leads to an increase in government revenue and a decrease in consumption.
- Minimum pricing is an effective way of reducing the consumption of the cheapest and most harmful products.
- Minimum pricing is most effective when introduced alongside wellstructured taxation.





## Movendi Report Exposing Big Alcohol Predatory Practices

A new report published by international alcohol advocacy organisation Movendi International, has shone a further spotlight on the 'predatory' practices used by Big Alcohol – including deliberate strategies targeting vulnerable people, derailing lifesaving public health policies and misleading the public.

The report documents what Movendi calls 'appalling cases of alcohol industry misconduct' and 'shocking examples of predatory practices', as well as revealing the direct and fundamental conflict of interest the alcohol industry has.

The report makes several calls for action, from individual to international including:

- For all of us to denormalise Big Alcohol in our communities.
- For the World Health Organisation to end their annual "dialogue" with the alcohol industry.
- For the UN agencies to stop ignoring conflicts of interest and end partnerships with alcohol companies and front groups.
- For governments to place people's wellbeing before the profits of Big Alcohol.
- For a global binding treaty on alcohol to protect alcohol policy making from alcohol industry interference and accelerate much needed alcohol policy action to promote health and development for all.



### POLICY

# Confronting alcohol's costly toll: why the European region needs clearer, evidencebased policy

In a new article for the Lancet, WHO Europe Regional Director Hans Kluge calls for a coordinated public health response to reducing and preventing alcohol harm that places evidence over industry profit, citing the recently published WHO Alcohol Policy Playbook as an essential guide on the path to healthier, better-informed individuals and societies.

Kluge notes the ongoing problem of a lack of public awareness or understanding of

the health risks posed by alcohol, particularly around cancer, compounded by industry narratives that present alcohol as relatively harmless if consumed in moderation. He says that this messaging, which has emerged from a profit-seeking perspective, has been all too effective in hindering public health efforts to communicate facts around alcohol harm, keeping people in the dark about the risks they need to know about.

He discusses how the alcohol industry has worked to delay, weaken, or block effective alcohol policies – mirroring the tactics used by the tobacco industry to question the evidence, complexify the risks and introduce doubt at every opportunity, using their vastly superior financial resources to outmuscle public health advocacy efforts.

Kluge writes that the *Alcohol Policy Playbook* equips policymakers and advocates with factual, accessible information. By contrasting industry framings with public health evidence, the *Playbook* provides a clear, evidence-based roadmap for mitigating alcohol-related harms. The *Playbook* does not promote an ideology but fills a critical need for clarity. More than a resource, the *Playbook* is a call to action. It underscores the urgency for policymakers to identify when alcohol-related issues are presented from a profit-seeking perspective and to ensure that the policies they implement ignore this and are based instead on public health evidence.

He says that public health must emphasise the rights of people to make informed decisions about their health. This starts with a transparent presentation of the facts and a refusal to allow industry narratives to obscure reality. With strong policies backed by unfiltered evidence, we can mitigate the health and economic toll of alcohol.





# SHAAP Blog: Beyond Stigma: Understanding and Using Human Rights in Recovery

Our colleagues at SHAAP have published a new blog by Tom Bennett, Rights in Recovery Development Officer at the Scottish Recovery Consortium (SRC) and Alcohol Focus Scotland Board Member.

Tom discusses the importance of overcoming stigma to understand the human rights of people with alcohol problems when accessing support. SRC's recent publication '*Using Human Rights in Recovery – A Guide'* invites all those impacted by addiction to become better informed about their human rights so they can advocate for themselves and others.

#### Beyond Stigma: Understanding and Using Human Rights in Recovery

Whichever you choose to describe the problem/condition/illness/disease of addiction/ alcohol dependence/ problematic or harmful alcohol use (however hopefully no longer abuse), it's a demonstrably treatable health condition from which we can recover. That alcohol deaths have risen to their highest level in 14 years, and Scotland continues to have the most unenviable record of alcohol harm in the UK, we can conclude not everyone is accessing and receiving a good level of healthcare. The 40% decline in the number of people commencing specialist alcohol treatment from 2013/14 to 2021/22 certainly won't have helped. (**Alcohol** 

We know from the Mental Welfare Commission for Scotland 'Ending the Exclusion' report from 2022 that 'People with lived experience and families/carers describe a system in which they feel discriminated and are often 'bounced' between mental health services and addictions services.' It's fair to say that won't have helped either.

Read the Blog

Focus Scotland)



# Exploring public support for novel tobacco and alcohol control policies in Great Britain 2021–2023: A population-based cross-sectional survey

This study assessed support for novel tobacco compared with alcohol control policies among adults in Great Britain. The researchers collected data in a monthly population-based survey on smoking and drinking behaviour of adults in September/October 2021 to 2023.

They found that people who were directly affected by a policy were less likely to support it. To gain support from people affected by the policy, the researchers advise that it could be beneficial when framing this, to attribute the health problem to society rather than the individual and emphasise the different advantages of the policy to both. There was less support for tobacco or alcohol policies among people smoking or drinking at increasing and higher risk levels, respectively, than among those who did not engage in the targeted behaviour, except for the policy to improve access to treatment services (thought to be partially due to such people imagining benefitting from these services in future).

The study observed that people were highly supportive of policies offering support to individuals as well as those aimed at protecting children. People were less supportive of more intrusive policies such as those regulating availability. Findings indicate that a policy gets higher support after being implemented; according to 'political theory', this might be because of people being biased towards the status quo when there is uncertainty, however support may grow once the uncertainty around this is then resolved following successful implementation of the policy. Overall, this study found high public support for tobacco and alcohol control policies aimed at reducing smoking and drinking prevalence in Great Britain.

Read the study.



#### Age verification and underage accessibility of official

# alcohol companies' websites and brand pages on Facebook and Instagram

Alcohol marketing can increase alcohol consumption in young people who are below the legal drinking age. This study therefore aimed to explore the effectiveness of age verification measures on the official websites, plus associated Facebook and Instagram pages, of multiple alcohol companies in Nigeria.

Using three fictitious underage profiles, the researchers found that only 3 out of 15 alcohol company websites had an age verification measure; 24 of 66 alcohol brand pages on Facebook had age verification control; 22 out of 72 alcohol brand pages on Instagram had age verification control. Underage users could view, engage and follow brand pages without age verification.

The researchers note that their findings emphasise the importance of a robust regulatory framework on digital alcohol marketing, including a means of reducing the impact on underage drinking behaviours. Findings are relevant to Scotland due to the increase in online sales here, where current licensing regulations are not particularly fit for managing this. Digital alcohol marketing regulations should require robust and mandatory age verification controls on brand websites and social media platforms to ensure young people are protected.

**2** Read the study.

### RESEARCH

# Taking pleasure seriously: Should alcohol research say more about fun?

This paper encourages discussion around pleasure, and whether this should receive more attention within public health research relating to alcohol. The researchers consider reasons as to why greater engagement with issues of pleasure may be important for public health.

The researchers highlight that addressing pleasure within intoxication raises difficult methodological and ethical issues; there are opportunities however for public health research to build on psychological and sociological studies to better understand the phenomenology of intoxicated pleasure, the different ways in which value is ascribed to it by drinkers and the degree to which the experience of pleasure is culturally situated. The researchers suggest thinking about pleasure as a set of interrelated feelings and experiences to consider what drives these behaviours and how these can then be targeted within interventions.

Importantly, the researchers note that public health advocates and researchers should avoid appearing to hold naive views of pleasure that indicate no awareness of lived experience. Interestingly, they suggest that lessons from economics should be applied; calculating the utility value of 'pleasure' in relation to the value of 'harms caused' would allow for more sophisticated estimates of costs to society. They note that we need more explicit discussion around the ethical principles that prioritise the promotion of long-term health over other preferences. For example, why should we minimise the value of short-term (potentially risky) pleasures that might lead to important benefits such as strengthening social bonds, creating novel experiences or even just leading to the person feeling good? While those in public health know there are clearly strong arguments as to why, they often remain assumed or uncritically deployed. Although the task of public health research may be to identify 'what works', there remains a responsibility to articulate why its social goals are preferred, especially where public policy is involved. It may be that thinking about it in this way could reduce public resistance and limit the opportunity for criticism.

**7** Read this study.



# Analysing Questions About Alcohol in Pregnancy Using Web-Based Forum Topics: Qualitative Content Analysis

While UK national guidance recommends abstaining from alcohol if pregnant

or planning a pregnancy, evidence suggests that confusion remains amongst members of the public. This study explored which topics related to alcohol in pregnancy were raised on a UK-based online parenting forum (Mumsnet) and how these correspond to public health guidelines with respect to two critical events: the implementation of revised low-risk drinking guidelines in 2016, and the first COVID-19 lockdown.

Findings suggest that mothers and expecting mothers use Mumsnet primarily to seek reassurance and information from others in similar situations. Topics and the proportion of thread starts relating to each topic have changed over time, with results indicating less confusion about the current guidelines and research about alcohol in pregnancy in more recent times. The study also provides insight into the worries and anxiety that pregnant women report experiencing if they had consumed alcohol before finding out about pregnancy and the importance of seeking advice and reassurance from peers on how to manage that worry. This does, however, bring up the risk of inaccurate information being shared among users on Mumsnet which could be harmful.

The categories identified in this study highlight the importance of providing reliable and trustworthy information about alcohol consumption in pregnancy; it could be helpful to further explore what is being asked to understand knowledge gaps and how individuals prefer to receive health messaging (in terms of the wording used and the format). These findings suggest that innovative interventions, such as peer support initiatives, may offer a promising approach to prenatal alcohol prevention.

Read the study.

### **Q** RESEARCH

# Modelling the potential health, health economic and health inequality impact of a large-scale rollout of the Drink Less app in England

Alcohol places a significant burden on the NHS, however uptake of treatment approaches is low. Digital interventions, such as the Drink Less app, could

be valuable to overcome various barriers to delivery.

It was recognised that, while digital interventions can be an effective tool to support reducing alcohol consumption, uptake is generally low and the cost-effectiveness of strategies to increase their uptake is unclear. The researchers aimed to explore whether a large-scale roll-out of the Drink Less app could be a promising tool to address some of the identified barriers. Development of the Drink Less app was guided by the Research Council's guidance on complex interventions and the Multiphase Optimisation Strategy and was informed by the COM-B model of behaviour change.

The researchers estimated the longer-term impact of the app on health, cost-effectiveness, and inequalities. Results indicate that the app is estimated to be health-improving, cost-saving, and to reduce health inequalities. Embedding the use of Drink Less within primary care is likely to be the most effective approach, with both a mass media campaign and promotion through GPs of the app potentially reducing alcohol consumption, improving health, reducing costs to the NHS and reducing health inequalities.

**2** Read the study.

### RESEARCH

#### **Rainbow Scots Survey**

Many studies have shown that LGBTQ+ women and nonbinary people are at higher risk than cisgender heterosexual women of experiencing harm from alcohol.

Glasgow Caledonian University, in partnership with Columbia University in the USA, are conducting an online survey to learn about what types of messages and resources might be helpful for LGBTQ+ women and nonbinary people who want to reduce the amount they drink or become more curious about when, why, and where they drink. They also hope to learn about what is most helpful in supporting

individuals to make healthy choices while still enjoying life and social events.

They plan to recruit 120-220 LGBTQ+ women and nonbinary people to participate in the survey. To check to see if you are eligible to participate and to ensure that we include a diverse range of individuals who broadly represent the LGBTQ+ and nonbinary communities in Scotland, please complete the brief questions below. It should take less than five minutes to complete.

If you are eligible, you will be directed to a document that describes the terms and conditions of the study (the informed consent document). If, after reading the consent form, you wish to participate, you can indicate this by clicking "Yes, I agree," which will take you to the survey.

If you are not eligible, the team appreciate your interest in the study. You can see what other research is underway at the GCU Research Centre for Health by clicking on this link.

#### Find out more and take part





# Zero alcohol products and adolescents: A tool for harm reduction or a trojan horse?

A recent study in Australia has explored whether zero alcohol products -

ZAPs – could reduce alcohol-related harm by providing an alternative to alcoholic drinks. There are concerns however, that such drinks could expose young people to alcohol-related stimuli, potentially normalising alcohol consumption and paving the way to underage drinking.

This study involved focus groups and a national survey with young people in Australia. Results indicated that ZAPs were appealing and generally viewed positively by young people, with 37% having tried them. They also viewed ZAPs as a helpful alternative to alcohol for both adolescents and adults who want to avoid social expectations around alcohol. Some participants however, acknowledged their potential to lead to alcohol use and suggested limiting visibility and accessibility, while allowing adults to use these as substitutes to alcohol. Findings suggest that ZAPs are likely to expose minors to alcohol-related stimuli which could increase their risk of consuming alcohol. This study indicated that regulatory measures are crucial to protect adolescents from ZAP-related risks.

**7** Read the study.

### RESEARCH

# Alcohol increases risk of colorectal cancer, whilst calcium protects

Colorectal cancer ranks as the third most prevalent cancer worldwide.

Researchers from the Cancer Epidemiology Unit at the University of Oxford along with their collaborators, found significant associations between colorectal cancer risk and diet (including alcohol consumption).

Incidence rates of colorectal cancer are higher in areas of high-income, however rates are going up in lower-income countries. Research indicates that modifiable factors play a role in the development of colorectal cancer. This includes diet, with particular nutrients, food and drinks (including known carcinogens such as processed meat and alcohol) some of the suspected modifiable factors.

Participants in this study were drawn from the Million Women Study, a cohort of

middle-aged UK women who completed dietary questionnaires detailing intake of 97 dietary factors. The study recorded data from 542,778 women for an average of 16.6 years, during which 12,251 were diagnosed with incident colorectal cancer.

Results showed that drinking alcohol was associated with an increased risk of colorectal cancer, with every 20 grams of daily alcohol consumed (about two drinks) raising the risk by 15%. Eating red and processed meats was linked to an increased risk, with every additional 30 grams per day (a single slice of bacon) increasing the risk by 8%. Calcium emerged as a protective factor against colorectal cancer, potentially due to its role in binding gut bile acids and reducing carcinogenic exposure in the colonic lumen. Every additional 300 milligrams of calcium per day (a glass of milk) reduced the risk by 17%. The researchers conclude that dairy products help protect against colorectal cancer, and that this is driven largely or wholly by calcium.

**7** Read the study.



#### **Licensing Standards Officer Training**

# Alcohol Focus Scotland Office 5th -7<sup>th</sup> March, 9am – 5pm

- Specialised Curriculum: a curriculum crafted to address the unique challenges faced by Licensing Standards Officers. Gain a thorough understanding of regulations, compliance, and best practices.
- **Interactive Learning:** an interactive training environment that ensures learning is informative, engaging, and memorable.
- Real-world Applications: practical insights and real-world applications that you can implement immediately, making you a more effective and impactful Licensing Standards Officer.

Exam, 50 questions, after training session on the 3rd day. Pass mark =
 75%+

#### Get in touch for more information and to book your place

- Email training@alcohol-focus-scotland.org.uk
- Call 0141 572 6700



### **Upcoming C.H.A.T training session**

Tuesday 11th March 2025 9.30am-12.30pm

The CHAT toolkit is a flexible and in depth resource pack with practitioner training to help provide focused support to children, young people and families affected by alcohol harm or in recovery. "Brilliant training. Extremely relevant to Social Work and building trusting relationships. Resource pack brilliant and can be used so we can build relationships positively rather than being seen as scary social worker".

#### **Learning outcomes:**

- Discuss the impact of alcohol on Scottish society.
- Describe the impact of harmful parental drinking on children and families.
- Describe the key themes of CHAT and how they relate to supporting children, young people and families affected by alcohol harm or in recovery.
- Demonstrate how to use the CHAT resource with children, young people and families.

#### Who is it for?

Anyone working with children, young people, or families affected by alcohol harm or in recovery. In particular, family support workers, addiction workers and social workers.

#### Find out more and book your place





#### FASD Unlocked: Practical strategies for Professionals

Children in Scotland Thursday, 06 February 2025 10am - 1pm | Online/Zoom

Understand how to support children and young people with FASD, a lifelong neurodevelopmental condition that often goes unrecognised.

This interactive course is suitable for all those working with children and young people in a professional capacity, in particular education, social work and the third sector.

### **Key Learning**

- Introduction to FASD
- How alcohol affects development
- Common challenges for people with FASD
- Strategies for working with young people with FASD
- Signposting to further information and resources

Fetal Alcohol Spectrum Disorder (FASD) affects 3-5% of the population in Scotland, yet as a mostly hidden condition it often goes unrecognised. It is a lifelong neurodevelopmental condition resulting from pre-natal alcohol exposure and can affect an individual's development across all areas.

This training will introduce attendees to the condition and offer suggestions on strategies that support people with FASD within education, the community and in their family life. There will also be an opportunity to ask our knowledgeable trainers any questions, and all attendees will receive a digital handbook following the course.





#### **SARN Early and Mid-Career Researcher Event**

The Scottish Alcohol Research Network (SARN) Early and Mid-Career Alcohol Researcher event is taking place on **Tuesday 11th March 2025** at the Royal College of Physicians, Edinburgh.

The event will take place **in-person** from **10:30-14:30 GMT** and will provide **PhD students**, **early career researchers**, **and mid-career researchers** with an opportunity to present their work and discuss future projects, whilst networking with colleagues from their field.

A call for abstracts is now open. If you would like the opportunity to present at this event, please submit an abstract to **SARN@rcpe.ac.uk**.

Abstracts should be **150 words or less** and provide a brief summary of the work you intend to present. We welcome presentations on research findings and on more reflective matters. All abstracts must include a completed **conflict of interest form**.

The deadline for submitting an abstract is 5pm, Friday 31st January 2025.

Find out more and book your place



# 50th Annual Alcohol Epidemiology Symposium of the Kettil Bruun Society

The KBS conference is famed for its friendly and inclusive atmosphere, and emphasis on lively discussions of emerging, as yet unpublished, research. Attendees come from alcohol research, policy and advocacy backgrounds with a wide range of interests: public health, advocacy, epidemiology, social science, psychology, medicine, policy, health services or disease prevention.

Coming back to Scotland for the first time in decades and with special celebrations planned for our 50th Anniversary, organisers promise an unforgettable learning, thinking and networking opportunity, in beautiful surroundings.

KBS 2025 welcomes formal research or reports from practice on diverse topics. Examples include policy analysis and evaluation, alcohol cultures and practices including in minority or underserved populations, health and public service impacts, communication and advocacy, prevention, treatment, early intervention, alcohol industry tactics and counter-marketing, epidemiology and more. Quantitative, qualitative, and mixed methods approaches, and applied practice-based research are welcome.

- **⊘** Visit the Conference website
- **3** Book your place











- 166 Buchanan Street, Glasgow G1 2LW
- 0141 572 6700
- enquiries@alcohol-focus-scotland.org.uk
- www.alcohol-focus-scotland.org.uk
- @alcoholfocus

Copyright © 2024 Alcohol Focus Scotland, All rights reserved.

You can update your preferences or unsubscribe from this list.



From: Alcohol Focus Scotland <enquiries@alcohol-focus-

scotland.org.uk>

**Sent:** 27 February 2025 12:46

To: Dragona, Anastasia

**Subject:** Alcohol Focus Scotland latest - February 2025





February 2025















#### **Contents**

- AFS joins SHAAP in calling for urgent action to tackle alcohol emergency
- ONS reports record high alcohol specific deaths in the UK
- Alcohol labels should warn of cancer risk, says new WHO/Europe report
- New AFS video: How does alcohol cause cancer?
- Alcohol and cancer: insights from the EU Country Cancer Profiles
   Synthesis Report 2025

- New IAS video examines impact of alcohol on the health service
- Alcohol and the future of the NHS: part of the problem and part of the solution
- ADP Coordinator Survey
- From cradle to cane: WHO's new European Health Report warns of lifelong health crises across the Region
- WHO/EU evidence into action alcohol project (Evid-Action) Youth Network: second call for applications
- <u>Lithuania bucks life expectancy trends and vastly reduces alcohol harm</u> with adherence to alcohol Best Buys
- Nordic alcohol monopolies: understanding their role in a comprehensive alcohol policy structure and public health significance
- We need to counter industry promotion of harmful products to protect public health
- AFS response to Labour Policy Forum
- Should alcohol carry cancer warning labels?
- Evaluating the impact of minimum unit alcohol pricing on purchasing behaviour by different social class and age groups in Wales
- Age of onset of adolescent alcohol use with parental permission and its impact on drinking and alcohol-harms in young adulthood
- Innovation and diversity in public health team engagement in local alcohol premises licensing
- <u>Mapping corporate sponsorship of alcohol and gambling associations:</u>
  An Australian pilot study
- The association between discrimination and drinking among sexual minorities
- <u>Impact of the COVID-19 pandemic on violence exposure and alcohol</u> use among adults who drink alcohol
- Solitary Drinkers in Great Britain: How Do Their Sociodemographic Characteristics, Consumption Patterns, and Drinking Occasions Differ From Those Who Drink With Others?
- <u>Licensing Standards Officer Training</u>
- Children Harmed by Alcohol Toolkit (C.H.A.T)
- Alcohol Review Conference
- Spotlight on social disapproval and stigma towards addictive behaviours



# AFS joins SHAAP in calling for urgent action to tackle alcohol emergency

Scottish Health Action on Alcohol Problems (SHAAP) and Alcohol Focus Scotland (AFS) have demanded urgent action from the Scottish Government to tackle alcohol harms in a letter sent to Cabinet Secretary for Health and Social Care, Neil Gray MSP.

One of the recommendations of Audit Scotland's 2024 report on alcohol and drug services was that by mid-2025 the Scottish Government must "work with key stakeholders to identify and agree actions to increase focus and funding for tackling alcohol-related harm, while continuing to tackle drug-related harm". The letter calls for the Scottish Government to set out how it will achieve this.

The Scottish Government declared alcohol harms to be a public health emergency in 2021 and while some action has been taken since then, such as the uprating of MUP in September 2024, there has not been the ambition nor urgency required to address the scale of the problem.

#### Dr Alastair MacGilchrist, Chair of SHAAP commented:

"Scotland continues to face an unacceptable level of alcohol related harm, with 1,277 people losing their lives to alcohol in 2023. This requires an emergency response but so far, we haven't seen one from the Scottish Government.

"For too long the drugs deaths crisis has overshadowed alcohol. The dual problems of alcohol and drugs harms are equally important, but they need to be tackled differently. Treatment for alcohol problems often differs from treatment for drug problems so relying on National Mission on Drugs Deaths money to improve services for alcohol problems is not going to work.

"We need a dedicated alcohol strategy which sets out a package of measures designed to tackle the price, marketing and availability of alcohol. This should be matched by increased investment in treatment services and recovery organisations."

Laura Mahon, Deputy CEO of Alcohol Focus Scotland said:

"We welcome the extra investment in alcohol and other drugs announced following the budget deal struck by the Scottish Government, Liberal Democrats and Greens. However, it remains unclear to what extent this will enable the increase in focus on alcohol harm recently identified as needed by the Auditor General.

"Alcohol presents a uniquely different challenge to other drugs, with around one million Scots currently drinking at levels which are potentially harmful to their health and increasing their risk of dying from alcoholic liver disease or alcohol related cancers. It is crucial to recognise that a large proportion of alcohol specific deaths are not in dependent drinkers – but come as a consequence of lifetime of heavy alcohol use.

"The Scottish Government needs to be clear on how it will address the issues identified by the Auditor General, ensure specified investment in alcohol harm prevention and alcohol treatment as well as working with stakeholders to bring forward a comprehensive and credible plan for how they will achieve this."



# ONS reports record high alcohol specific deaths in the UK

The Office for National Statistics (ONS) published their <u>latest figures</u> for alcohol specific deaths in the UK on the 5<sup>th</sup> of February. Overall, in 2023, there were 10,473 deaths from alcohol specific causes in the UK, a rate of 15.9 per 100,000 people. This represents another record high of deaths in the UK.

In Scotland alone, there were 1,277 alcohol-specific deaths compared to 1,276 in 2022 – a 15 year high. When comparing the figures to those released in 2019 there has been a staggering increase of 25%.

Scotland continues to have the highest rate of alcohol deaths in the UK (22.6 per 100,000 people), however these figures show that the gap is narrowing as the increase in deaths since the pandemic has been steeper in England than Scotland; likely due to the protective effect of minimum unit pricing in Scotland.

Whilst minimum unit pricing has helped to reduce alcohol related health inequalities between the most and least deprived communities, alcohol-specific deaths were still 4.5 times as high in the most deprived areas of Scotland compared to the least deprived areas in 2023.

Commenting on the figures, Laura Mahon, Deputy CEO of Alcohol Focus Scotland said:

"These latest alcohol death figures add to an appalling series of announcements over the past few years, which have been worsening since the Covid-19 pandemic, demonstrating that Scotland and the rest of the UK is firmly in the grip of an alcohol health emergency.

"The truth is that a majority of these deaths, mostly caused by liver disease, come as a result of people drinking heavily over the course of many years — with one in five Scots drinking at a level which could be harmful to their health, including increasing their risk of liver disease and cancer. Unfortunately, the Covid pandemic exacerbated drinking patterns and we saw those who were already drinking heavily increase their consumption.

"Alcohol remains at the centre of cultural and social life in Scotland, a position which the alcohol industry works hard to maintain by spending huge amounts of money on advertising and sponsorship to normalise drinking and influence our consumption habits.

**⊘**Read the full article



### Alcohol labels should warn of cancer risk, says new WHO/Europe report

The World Health Organisation (WHO) Europe has published <u>a report</u> calling for prominent, mandatory health warning labels on alcohol products to raise public awareness that alcohol causes cancer.

Alcohol causes about 800,000 deaths annually in the WHO European Region, home to the heaviest drinkers in the world.

Alcohol is known to cause at least seven different cancers, including cancers of the breast, liver, bowel, mouth, throat, larynx (voice box) and oesophagus (gullet).

Commenting on the report, Alison Douglas, CEO of Alcohol Focus Scotland, said:

"Alcohol is one of the leading preventable causes of cancer across the globe. Here in Scotland, alcohol is responsible for over 1,000 cases of cancer each year according to Cancer Research UK. Around 1 in 10 breast cancer cases in the UK are caused by alcohol.

"Despite these startling figures, and public health education efforts, public awareness of the link between alcohol and cancer remains low, with 1 in 2 people in Scotland still unaware that alcohol causes at least seven different cancers.

"The alcohol industry seeks to keep the public in the dark about the health risks of their products by choosing not to provide us with the clear information we need to make informed choices about our health.

"We don't have to go on accepting this. We all have a right to know what's in the products that we consume. Ireland has already legislated to introduce warning labels from May 2026. It's time the Scottish Government empowered consumers in Scotland by introducing mandatory health warning labels on alcohol products."




### New AFS video: How does alcohol cause cancer?

World Cancer Day took place on February 4th and to mark the occasion, we published a new video on alcohol and cancer titled: 'How alcohol causes cancer'.

According to statistics from Cancer Research UK, alcohol causes over 1,000 cases of cancer in Scotland each year. The video explains the mechanisms by which

alcohol causes cancer in our bodies. The video also highlights the fact that many people are still unaware of the link between alcohol and cancer, and that this is due to the alcohol industry seeking to keep people in the dark in order to protect their profits.

Alcohol Focus Scotland wants to see the introduction of mandatory and clear health warning information on alcohol products to empower consumers to make informed choices about their health.





## Alcohol and cancer: insights from the EU Country Cancer Profiles Synthesis Report 2025

The EU Country Cancer Profiles Synthesis Report 2025, published by the

OECD and the European Commission, provides a comprehensive overview of cancer trends, risk factors, and prevention efforts across the European Union, Iceland, and Norway. Among its many findings, the report reinforces the role of preventable risk factors, including alcohol consumption, in contributing to the cancer burden.

Alcohol remains a significant cancer risk factor, though trends in consumption vary across EU countries. According to the report, the average alcohol consumption in the EU in 2022 was 10.0 litres per person aged 15 and over. While overall alcohol consumption has decreased slightly—by 0.3 litres per person between 2010 and 2022—this figure hides large disparities. Some countries, including Belgium, Croatia, Denmark, Finland, France, Greece, Ireland, and Lithuania, reported a decline of 10% or more in alcohol consumption. In contrast, Bulgaria, Italy, Latvia, Malta, Poland, Romania, and Spain experienced increases of 10% or more during the same period.

The report highlights that alcohol consumption is directly linked to cancer risk, particularly cancers of the breast, liver, colorectum, and upper aerodigestive tract. Breast cancer incidence, for instance, is noted to be influenced by alcohol consumption, obesity, and genetic factors. This aligns with previous evidence that alcohol acts as a carcinogen, increasing the risk of multiple cancer types through various biological mechanisms.

While tobacco remains the leading preventable cause of cancer deaths in Europe, alcohol is a significant contributor to cancer incidence. If alcohol consumption targets were met across the EU, an estimated one million cancer cases could be prevented between 2023 and 2050. This figure underscores the importance of alcohol reduction strategies as part of broader cancer prevention efforts.

The report notes alcohol harm prevention efforts adopted across the EU including minimum pricing in Slovakia and the Republic of Ireland, Lithuania's strict alcohol advertising ban introduced in 2018 and public health education initiatives. However, despite these efforts, alcohol-related cancer prevention remains an underutilised strategy in many EU countries. The report suggests that further investments in policy-driven interventions could significantly reduce the cancer burden.

### **OUPDATE**

### New IAS video examines impact of alcohol on the health service

The Institute for Alcohol Studies has produced a new video on the impact of alcohol on healthcare services in the UK. Whilst the video focuses more on the healthcare system in England, it nonetheless has significant relevance for Scotland and deals with similar issues facing the Scottish healthcare system caused by alcohol.

The video explains that in England, alcohol is now the leading cause of premature death and ill-health for people aged 15 to 49, and alcohol-related deaths are at the highest number ever recorded. Evidence shows that quality treatment services can save lives and are cost-effective. For every £1 spent on treatment, the return is £3 in savings, rising to £26 over ten years. Despite this, most people struggling with problematic alcohol use aren't receiving treatment. Chronic underfunding, and fragmented services have left us without an effective approach to addressing alcohol-related harms across our healthcare services.

The video states that there is a clear need for a health systems response to addressing alcohol-related harms and asks:

- Why is such a response more urgent than ever?
- How have reforms to healthcare services contributed to a worsening situation?
- What can government and the NHS do?
- Why should such a response to alcohol harm be an essential part of the Labour government's mission to rebuild Britain?



### **OUPDATE**

### Alcohol and the future of the NHS: part of the problem and part of the solution

In a new blog for independent think tank Reform Scotland, Dr Alastair MacGilchrist (Chair of Scottish Health Action on Alcohol Problems) has written about the impact of alcohol on the NHS in Scotland, detailing the vast burden it places on our overstretched health service. With alcohol harm being a massive problem for the NHS in Scotland, on the flip side, this means that tackling and preventing alcohol harm can be a key part of the solution to NHS pressures.

"There has been much said about how to deal with the challenges facing the NHS in Scotland. An oft-repeated mantra is that we need to focus more on prevention, as argued in a previous NHS2048 blog by Paul Johnston of Public Health Scotland. In many respects this is a 'no-brainer'. Of course preventing illness will reduce the disease burden and reduce the pressure on our beleaguered healthcare services.

The argument is even more compelling when you appreciate just how much of that disease burden is preventable. Non-communicable diseases (NCDs) – including heart disease, cancer, diabetes, Alzheimer's, lung disease and liver disease – account for 83% of all deaths in Scotland, and an estimated 20% of NCDs are preventable. The key drivers are tobacco, alcohol and unhealthy foods.

In this blog I will focus on alcohol, for 3 reasons: (1) Scotland has a particularly unhealthy relationship with alcohol; (2) the steps which can be taken to improve the situation are well-known and compelling; and last but not least, that being the case, (3) why have we not already taken these steps?"





This publication presents findings from an anonymous online survey of Alcohol and Drug Partnership (ADP) coordinators, undertaken as part of the PHS evaluation of the National Drug Deaths Mission.

The survey highlighted some findings of concern around whether and how the National Mission will meet its objectives, funding, leadership from the Scottish Government and work-related stress and pressures faced by ADP coordinators. These included:

- Only half of the respondents felt the National Mission was likely to reduce drug deaths – but 83% did feel that it was likely to improve quality of life, with two thirds believing that National Mission programmes had already delivered positive impacts for people affected by drug use in their local area.
- Most respondents felt that the amount of funding allocated to ADPs was insufficient to support delivery of the National Mission.
- Only around 1 in 3 respondents agreed that there is effective leadership of the National Mission from the Scottish Government.
- Just over half of respondents said that their role was either extremely or very stressful, with 1 in 4 stating that they'd suffered an illness, disability or other physical or mental health problem that was caused or made worse by their work.



### **O UPDATE**

# From cradle to cane: WHO's new European Health Report warns of lifelong health crises across the Region

Almost 76,000 children in the European Region die before their fifth birthday every year; noncommunicable diseases claim 1 in 6 people before age 70

Despite progress in some areas, the WHO European Region – long reputed to have some of the world's strongest health systems – is largely stagnating or even backsliding on a range of indicators from child and adolescent health to chronic diseases. That is the thrust of WHO's latest European Health Report, drawing upon the most recently available data across all 53 Member States across Europe and central Asia.

Published every 3 years and using country-level evidence, the flagship European Health Report paints the most comprehensive picture of health regionwide. It

provides governments and policy-makers with clear markers as to the way forward at a time when megatrends – including dangerous disinformation, a health workforce crisis, rapid population ageing and climate change – are impacting health as never before.

The European Region has made great strides in tackling noncommunicable diseases (NCDs) – by far the biggest killer in our Region. At least 10 Member States have met the WHO target of a 25% reduction in premature mortality from the 4 major NCDs. Yet, overall in the European Region, 1 in 6 people still die before they reach their 70th birthday from cardiovascular diseases, cancer, diabetes or chronic respiratory diseases.

Cardiovascular diseases account for 33.5% – one third – of premature deaths from NCDs in the Region, with the risk nearly 5 times higher in eastern Europe and central Asia than in western Europe. Cancer causes another third – 32.8% – of premature deaths in the European Region as a whole.

The report identifies the following additional concerns related to NCDs:

- The European Region has the world's highest alcohol intake, averaging 8.8 litres of pure alcohol per adult per year. Intake is currently highest in the European Union and lowest in the central Asian countries.
- Tobacco use among adults remains high at 25.3% overall.
- The Region is not on track to meet the target of a 30% reduction in smoking by 2025



### **OUPDATE**

WHO/EU evidence into action alcohol project (Evid-Action) Youth Network: second call for applications

#### Last call for applications! Deadline 6<sup>th</sup> March

Are you a young leader aged 18–30, fluent in English, and passionate about advancing health and well-being in your community?

If you are studying, working, or living in one of the 27 EU Member States, Iceland, Norway, or Ukraine, this is your chance to join an expanding network of youth advocates shaping the future of alcohol policy in Europe.

In this second call for applications, EVID-ACTION Youth Network are aiming to expand their membership and aim to include four representatives per country, ensuring diverse voices are heard across the region.

- Find out more
- Submit an application

# **POLICY**Lithuania bucks life expectancy trends and vastly reduces alcohol harm with adherence to alcohol Best Buys

When it comes to adopting measures to combat alcohol harm, Lithuania stands out as a unique case according to the WHO Regional Office for Europe. The country's swift adoption of measures of WHO Best Buy policies on alcohol including on alcohol taxation, limiting availability and the strictest marketing restrictions in the EU – has seen a significant reduction in alcohol consumption, alcohol poisonings halved and life expectancy (recently in decline in numerous Western nations including the UK) rise.

Maria Neufeld, an expert at the WHO European Regional Office, said:

"These (implemented recommendations) have had a huge impact. Alcohol consumption has dropped by several litters (per person). Thousands of lives have been saved. Millions of euros have been saved or collected (in budget revenue) through higher taxes."

She said that Lithuania serves as an interesting case study when examining the implementation of WHO recommendations and their effect. Lithuania's alcohol advertising ban, one of the strictest in Europe, has been credited with reducing alcohol poisonings by half.

Read more here



### Nordic alcohol monopolies: understanding their role in a comprehensive alcohol policy structure and public health significance

This report explores the role of Nordic alcohol monopolies in Europe.

Operating in Finland, Iceland, Norway, Sweden and the Faroe Islands, these State-owned entities prioritise public health and minimise alcohol-related harm as integral components of national alcohol strategies.

Exclusively authorised to sell most alcoholic beverages, they operate under government oversight. Unlike other retail outlets, they are not driven by profit or sales, focusing primarily on public health and welfare.

The monopolies align with WHO evidence-based recommendations for reducing alcohol consumption and harm, which include high alcohol taxes, limited availability and restricted marketing.

They implement these strategies by controlling the number of stores, limiting operating hours, enforcing age limits, banning promotional pricing, and eliminating advertising and sales promotions, including online. Additionally, they educate the public about alcohol-related harm and ensure responsible sales practices. Historically, these monopolies have contributed to a shift in northern Europe from irregular, heavy drinking to more moderate consumption, resulting in lower alcohol consumption and harm compared to other European countries.

Evidence consistently shows that privatisation of alcohol sales increases consumption, while monopolisation decreases it.



### POLICY

### We need to counter industry promotion of harmful products to protect public health

In this article for the British Medical Journal, Alice Wiseman discusses the need for action to tackle the commercial determinants of health and counter industry promotion of harmful products to protect public health.

The article highlights many of the common tactics employed by industries producing health harming products driven by the motive to make profit at the expense of our health. It notes that health harming industries often have millions of pounds at their disposal, and use these vast resources to influence public perceptions and downplay the harms their products cause.

Among the tactics commonly employed, is recruiting medical professionals to promote harmful products and create doubt in the minds of consumers and the public as to how damaging these products can be to our health.

The article highlights various public health efforts that have been taken to combat

industry tactics, as well as outlining the need to continue these measures at local and national policy levels – particularly highlighting local authority powers and efforts to tackle the marketing of unhealthy food.

It emphasises the need for consistent communications when engaging the media, and the need for collaboration between local champions, including political leaders and people directly affected.

Protecting children and young people needs to be a particular focus so that they can grow up in healthier environments and live healthier, more productive lives—for themselves, their community, and the wider economy.

**⊘**Read the article

### **POLICY**AFS response to Labour Policy Forum

Alcohol Focus Scotland has responded to the Scottish Labour Party's Policy Forum Consultation on the Scottish Labour Manifesto. We answered questions relating to creating a modern NHS and social care system that puts people at the centre.

In our response, we highlighted that the impact from alcohol on our health and our NHS is significant. A greater focus on prevention will be essential for any future Scottish Labour government if it wants to ensure that everyone has confidence in the ability of the NHS to respond to their health needs in an effective and timely manner. Considering the impact of alcohol use on our NHS, preventing and reducing alcohol harm must play a leading role in action to protect and improve the NHS and the health of the Scottish people.

Read our consultation response in full

### RESEARCH

#### Should alcohol carry cancer warning labels?

In a significant move for public health, Ireland is set to become the world's first country to legally mandate comprehensive health warnings on alcohol products starting in 2026. This legislation represents a significant shift in how societies communicate the health risks associated with alcohol consumption, particularly its connections to cancer.

The new law addresses a crucial gap in public awareness. Despite well-established scientific evidence linking alcohol consumption to various cancers, many consumers remain unaware of these risks. This knowledge gap persists even though concerns about alcohol's carcinogenic properties were raised in medical literature as far back as 35 years ago, when The Lancet published an editorial calling for public health campaigns to address alcohol's cancer risks. During the intervening decades, governments have been "negligent" for not mandating warning labels on alcohol as they do for tobacco.

Research indicates that health warnings are most effective when they follow the principles that have proved successful in tobacco control: large, colourful, and prominently displayed messages that capture consumer attention. Peter Anderson, retired Professor of Substance Use, Policy, and Practice at Newcastle University's Institute of Health and Society emphasises that alcohol, like tobacco and asbestos, is a carcinogen with no risk-free level of consumption.

A rising number of countries are addressing the cancer risks of alcohol, although it remains behind tobacco and obesity as a public health priority. Notably, the U.S. Surgeon General recently advocated for cancer warning labels on alcoholic beverages, similar to those found on tobacco products. This growing recognition of alcohol's health risks has led some experts to call for an international agreement on alcohol labelling, comparable to the WHO Framework Convention on Tobacco Control.

Public health advocates are strongly pushing for health warnings in Scotland,

where alcohol claims more than 50 lives per week, Nicola Merrin, Policy and Research Manager for Alcohol Focus Scotland, told The Lancet:

"Health warnings would improve the public's awareness of the health risks of drinking alcohol and could encourage reduced consumption. We know that labels work best when they are large, colourful, and prominent." Ideally, labels would be mandated in all four nations of the UK—Scotland, England, Wales, and Northern Ireland—Merrin said. "Industry has been making promises to provide health information on their products since the 1990s, so they have been given plenty of chances. If we do not see action across all four nations to act on labels soon, we will be looking to the Scottish Government to take the lead."

Furthermore, an <u>opinion piece</u> published in the British Medical Journal expressed hesitance and scepticism as to whether the US Surgeon General Advisory would lead to change, referencing the previous two advisories around social media use which led to no substantive change. The article acknowledged that commercially driven opposition is not going away. Tougher mandatory actions, strong governance, and more conscious management of conflicts of interest in health policy in government, are considered the best means of response to this public health threat. At its core, this movement reflects a fundamental consumer right: access to clear, accurate information about the products we consume, including their health risks, caloric content, and ingredients. Ireland's pioneering legislation may well serve as a template for other nations seeking to better inform their citizens about the health implications of alcohol consumption.





Evaluating the impact of minimum unit alcohol pricing on purchasing behaviour by different social class and age groups in Wales

A recent analysis of Wales's Minimum Unit Pricing (MUP) policy has revealed encouraging signs of success in reshaping alcohol purchasing patterns, particularly among younger consumers and those who traditionally gravitate toward high-strength drinks.

The policy, implemented in February 2020, established a minimum price of 50p per unit of alcohol across Wales. Researchers examined household alcohol purchase data spanning six years, from 2016 to 2022, comparing trends in Wales with those in England, where no such policy exists. This comparative approach, combined with controls for factors like COVID-19 and yearly variations, provides robust evidence of the policy's effectiveness.

One of the most striking findings emerged among consumers under 28 years old, who showed a dramatic 50% reduction in cider consumption compared to their English counterparts. This group appeared to shift their preferences toward lager, with a 33% increase in spending on this category. The significant decrease in cider consumption is particularly noteworthy because these high-strength products have historically been favoured by heavier drinkers and younger consumers.

The study revealed nuanced effects across different demographic groups. While younger consumers showed marked changes in their purchasing habits, older consumers demonstrated less sensitivity to the price changes in the short term. Interestingly, the research also uncovered an unexpected trend among lower socioeconomic groups, who showed a small but measurable 1.33 percentage point increase in wine consumption.

These findings suggest that MUP is successfully achieving its intended goal of reducing the purchase and consumption of high-strength, low-cost alcohol products. While some consumption patterns have shifted rather than disappeared entirely, the overall changes in purchasing behaviour indicate that the policy could lead to meaningful public health improvements over time.

Read the study.



### Study challenges received wisdom of parents introducing children to alcohol

A new study has revealed compelling evidence that challenges widely held beliefs about allowing teenagers to drink alcohol under parental supervision. The research, which followed 387 adolescents through nine annual waves of data collection, demonstrates that parental permission to drink alcohol during adolescence consistently predicts increased alcohol-related problems in young adulthood.

The study's findings directly contradict a common parenting approach that views supervised drinking as a protective strategy. Many parents have traditionally believed that allowing their children to drink under supervision provides a safer environment for learning about alcohol consumption. However, the research shows that this practice actually correlates with concerning outcomes, including higher frequency and quantity of alcohol consumption, more symptoms of alcohol use disorder, and increased alcohol-related harms as young adults.

Perhaps most striking is the discovery that these negative outcomes occur regardless of when parents begin allowing alcohol consumption. The research examined children and adolescents across a wide age range, from 5 to 17 years old, and found that the age at which parents began permitting alcohol use made no difference to the ultimate harmful effects. This suggests that there is no "safe" age during adolescence to begin allowing alcohol consumption under parental supervision.

These findings point to an urgent need for public health messaging that corrects misconceptions about supervised teenage drinking.





### Innovation and diversity in public health team engagement in local alcohol premises licensing

A comprehensive new study has revealed how public health teams across England and Scotland are developing innovative approaches to influence alcohol licensing decisions in their communities. The research, which involved 69 interviews with public health professionals, highlights several promising strategies that could help other regions enhance their approach to alcohol regulation.

The study discovered that some of the most effective public health teams are taking proactive steps well before formal licensing decisions are made. By engaging with potential licensees during the pre-application phase, these teams have found they can better influence the licensing process and increase the likelihood of successful outcomes that protect public health.

Several teams have developed sophisticated data-gathering techniques to strengthen their decision-making processes. This includes conducting first-hand investigations of local shops and supermarkets to understand existing alcohol availability patterns. Such evidence-based approaches have proven particularly valuable when teams need to demonstrate why a license might not be suitable for a specific area.

One particularly notable success story emerged from a region where the public health team secured a central role in developing local licensing policy. This strategic involvement allowed them to shape the fundamental criteria determining which establishments could sell alcohol, representing a significant shift from the traditionally reactive role of public health in licensing decisions.





### Mapping corporate sponsorship of alcohol and gambling associations: An Australian pilot study

An Australian study has unveiled the network of relationships between alcohol and gambling industry associations and their corporate partners, highlighting concerning gaps in transparency and accountability. The research provides unprecedented insight into how these industries build alliances across multiple sectors to advance their interests and potentially influence public health policy.

The researchers meticulously mapped 126 industry associations and identified 1,486 unique organisations that maintained partnerships with these groups. Their investigation revealed that while some companies maintained only single associations, others cast a much wider net - five companies were found to have partnerships with more than 20 different associations, suggesting a strategic approach to building industry influence.

Perhaps most concerning was the widespread lack of transparency uncovered by the study. Of the industry associations examined, only 60% provided any public information about their members or partners. Even more striking was the finding that when examining relationships between hotels and Clubs Associations and their partners, only 14% of these connections were openly disclosed by either party.

The research team discovered five distinct national clusters of associations and 27 instances where different organisations shared the same physical address. This co-location, combined with an extensive network of shared partnerships, suggests a level of coordination that may not be immediately apparent to policymakers or the public.

These findings take on particular significance in light of ongoing efforts by some countries to increase transparency in corporate lobbying. Ireland's Lobbyist Register and the EU's Transparency Register represent important steps toward

greater accountability, but this research suggests there is still considerable work to be done to fully understand and monitor the complex web of relationships between industry associations and their allies.

Read the study.

### **Q** RESEARCH

### The association between discrimination and drinking among sexual minorities

Research published in Addictive Behaviours Reports has shed new light on how experiences of discrimination affect alcohol consumption among sexual minority populations. By examining these relationships through an intersectional lens, researchers have uncovered patterns that demonstrate how different aspects of identity shape responses to discriminatory experiences.

The researchers employed a daily diary methodology, asking participants who identified as sexual minorities to record both their experiences with discrimination and their alcohol consumption patterns on a day-to-day basis. This approach allowed researchers to observe immediate connections between discriminatory incidents and changes in drinking behaviour, providing unprecedented insight into these relationships.

The findings revealed key differences in how various groups respond to discrimination through alcohol use. Cisgender men drank more the same day they experienced discrimination compared to cisgender women and transgender/non-binary participants. Men within the sexual minority community showed a particularly pronounced response to discrimination, consuming 53% more alcohol on days when they experienced discrimination compared to women and transgender/non-binary participants. The impact of discrimination also varied significantly by race, with BIPOC (Black, Indigenous, and persons of colour)

individuals consuming 56% more alcohol on days they faced discrimination than their White counterparts.

Perhaps most notably, the study uncovered an unexpected pattern among BIPOC men, who consumed 88% fewer drinks on days they experienced discrimination compared to BIPOC women and transgender/non-binary participants. This challenges simple narratives about discrimination and coping behaviours, highlighting the complex ways in which different aspects of identity interact to influence behavioural responses to discrimination.

The research team also explored whether "Minority Strengths" - positive experiences connected to one's identity - might help buffer the impact of discrimination on alcohol use. Surprisingly, these positive experiences did not appear to moderate the relationship between discrimination and same-day drinking patterns.

Read the study.



### Impact of the COVID-19 pandemic on violence exposure and alcohol use among adults who drink alcohol

A study conducted in the USA has uncovered disturbing patterns in how the COVID-19 pandemic intensified the relationship between violence exposure and alcohol consumption. The research, which gathered data from 565 adults between January 2021 and April 2023, provides compelling evidence of how pandemic conditions created a perfect storm for both increased violence and problematic alcohol use.

The study paints a concerning picture of substance use during the pandemic, with nearly three-quarters of participants (73.7%) reporting heavy alcohol use, defined

as consuming four or more drinks on one occasion at least four times monthly. More than half of the participants (53.3%) reported experiencing strong cravings for alcohol during this period.

The violence statistics are equally concerning. More than two-thirds of participants (71.6%) reported experiencing violence at some point in their lives, with a significant portion (20.5%) specifically reporting gender-based violence (GBV). During the pandemic period itself, about one in four participants (26.1%) experienced violence, with 13.8% noting that they faced more violence than usual. Gender-based violence during the pandemic affected 8.9% of participants.

The researchers identified particularly troubling connections between violence exposure and alcohol use during the pandemic. Those who experienced violence during this period were more likely to engage in heavy alcohol use and were twice as likely to report drinking more than usual. Gender-based violence emerged as a specific risk factor for problematic alcohol use. Survivors of GBV during the pandemic demonstrated significantly stronger cravings for alcohol, with their odds of experiencing intense alcohol cravings much greater than those who did not face such violence.

These findings carry crucial implications for public health planning. The researchers emphasise that future pandemic preparedness efforts must integrate violence prevention strategies alongside adapted alcohol harm reduction programs. They also call for more longitudinal research to better understand how specific pandemic-related stressors influence both violence and alcohol use patterns. This study serves as a stark reminder that public health crises like COVID-19 can create cascading effects that extend far beyond the immediate health impacts of the disease itself.

Read the study.



# Solitary Drinkers in Great Britain: How Do Their Sociodemographic Characteristics, Consumption Patterns, and Drinking Occasions Differ From Those Who Drink With Others?

An analysis of nearly 272,000 drinking occasions reported by 84,000 British adults has provided the first comprehensive picture of solitary drinking patterns across Great Britain. The research, examining drinking diaries collected between 2015 and 2019, offers crucial insights into who drinks alone and under what circumstances.

The study revealed several distinct characteristics of people more likely to drink alone. Men were nearly twice as likely than women to report solitary drinking, while people over 50 were more than two and a half times more likely than younger adults to drink alone. Relationship status also played a significant role - individuals not in relationships were more than three times more likely to drink alone compared to those in relationships, and people living alone were two and a half times more likely to engage in solitary drinking.

The timing and location of solitary drinking followed clear patterns. These occasions were three times more likely to occur in off-trade settings (for example, purchasing alcohol from a supermarket to drink at home) compared to on-trade venues like pubs or restaurants. Solitary drinking was also more common during weekdays (Monday through Thursday) and after 10 PM. The preference for off-trade drinking was particularly pronounced among women, who were nearly seven times more likely to drink alone at home compared to in public venues.





### Licensing Standards Officer Training 5th -7th March, 9am – 5pm

#### **Alcohol Focus Scotland Office**

- Specialised Curriculum: a curriculum crafted to address the unique challenges faced by Licensing Standards Officers. Gain a thorough understanding of regulations, compliance, and best practices.
- **Interactive Learning:** an interactive training environment that ensures learning is informative, engaging, and memorable.
- Real-world Applications: practical insights and real-world applications that you can implement immediately, making you a more effective and impactful Licensing Standards Officer.
- Exam, 50 questions, after training session on the 3rd day. Pass mark = 75%+

#### Get in touch for more information and to book your place

- Email training@alcohol-focus-scotland.org.uk
- Call 0141 572 6700



#### **Upcoming C.H.A.T training session**

Tuesday 11th March 2025 9.30am-12.30pm

The CHAT toolkit is a flexible and in depth resource pack with practitioner training to help provide focused support to children, young people and families affected by alcohol harm or in recovery. "Brilliant training. Extremely relevant to Social Work and building trusting relationships. Resource pack brilliant and can be used so we can build relationships positively rather than being seen as scary social worker".

#### Learning outcomes:

- · Discuss the impact of alcohol on Scottish society.
- Describe the impact of harmful parental drinking on children and families.
- Describe the key themes of CHAT and how they relate to supporting children, young people and families affected by alcohol harm or in recovery.
- Demonstrate how to use the CHAT resource with children, young people and families.

#### Who is it for?

Anyone working with children, young people, or families affected by alcohol harm or in recovery. In particular, family support workers, addiction workers and social workers.

#### Find out more and book your place





#### **Alcohol Review Conference**

Alcohol Review 2025 will offer a uniquely accessible, solution-focussed forum for everyone involved in the profound challenge of tackling alcohol harm worldwide.

It will bring breadth, depth and focus, showcasing key advances in global efforts to reduce alcohol harm alongside an agenda-setting live online event.

#### **S**Find out more and register



### Spotlight on social disapproval and stigma towards addictive behaviours

Wednesday 12 March 10pm-11pm GMT Online

Some scholars and commentators suggest that stigma plays an important role in disincentivising people from addictive behaviours, such as substance use. So, does the idea of 'social disapproval' work in reducing harmful consequences or is it just another manifestation of stigma?

In this Spotlight on Stigma seminar, we hear from an international alcohol, addiction, and behaviour change specialist expert on whether 'social disapproval' can be separated from stigma, and some thoughts on how framing and language have important implications for stigma towards alcohol use. For instance, are concerns about 'word policing' legitimate? We also hear from a guest from the Canberra Alliance for Harm Minimisation and Advocacy (CAHMA) with reflections on how this work applies in the Australian context.

#### Find out more and book your place





- 166 Buchanan Street, Glasgow G1 2LW
- 0141 572 6700
- enquiries@alcohol-focus-scotland.org.uk
- www.alcohol-focus-scotland.org.uk
- @alcoholfocus

Copyright © 2024 Alcohol Focus Scotland, All rights reserved. You can **update your preferences** or **unsubscribe from this list**.





#### **WEST LOTHIAN LOCAL LICENSING FORUM**

#### WORKPLAN - March 2025

SUBJECT	PERSON RESPONSIBLE	TIMESCALE	PROGRESS TO DATE
Chair's Update	Chair	March 2025	Standing item
Police Scotland Update	Police Scotland	March 2025	Standing item
Other Updates	Members as required	March 2025	Standing Item
Licensing Policy Q&A	LSO	March 2025	Standing item
Formulation of a Workplan	All	March 2025	Ongoing
Updating Licensing Forum Web Page	All	March 2025	Ongoing
Membership & Recruitment	All	March 2025	Standing Item
Chair's Update	Chair	June 2025	Standing item

Police Scotland Update	Police Scotland	June 2025	Standing item
Other Updates	Members as required	June 2025	Standing Item
Licensing Policy Q&A	LSO	June 2025	Standing item
Formulation of a Workplan	All	June 2025	Ongoing
Membership & Recruitment	All	June 2025	Standing Item
Chair's Update	Chair	September 2025	Standing item
Police Scotland Update	Police Scotland	September 2025	Standing item
Other Updates	Members as required	September 2025	Standing Item
Licensing Policy Q&A	LSO	September 2025	Standing item
Formulation of a Workplan	All	September 2025	Ongoing
Membership & Recruitment	All	September 2025	Standing Item
Chair's Update	Chair	December 2025	Standing item

Police Scotland Update	Police Scotland	December 2025	Standing item
Other Updates	Members as required	December 2025	Standing Item
Licensing Policy Q&A	LSO	December 2025	Standing item
Formulation of a Workplan	All	December 2025	Ongoing
Membership & Recruitment	All	December 2025	Standing Item
Meeting dates 2025	All	December 2025	Annually in December